



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB106556

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K5676-35	SU-01-112719	1	100.03	0.00	12/02/2019	10:50
2	K5676-35DUP	SU-01-112719DUP	1	100.02	0.00	12/02/2019	11:00
3	K6090-03	TP-20-S	1	100.04	0.00	12/02/2019	11:10

LB106556

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF120219 WorkList ID : 133827 Department : Wet-Chemistry Date : 12-02-2019 07:00:34

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
11/27/2019	Solid	K5676-35 ✓	Paint Filter	Cool 4 deg C	PSEG05		SU-01-112719	11/27/2019	9095B
11/27/2019	Solid	K6090-03 ✓	Paint Filter	Cool 4 deg C	PSEG01	N13	TP-20-S	11/27/2019	9095B

Date/Time 12/02/19 10:40
 Received by: DP
 Relinquished by: DP

Date/Time 12/02/19 11:15
 Received by: DP
 Relinquished by: DP