



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 12/10/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 17:21
In Date: 12/09/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 12/10/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB106659

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
K6142-02	1E	1	1.16	9.74	7.92	78.8	
K6142-03	1F	2	1.15	9.9	8.28	81.5	
K6142-05	2E	3	1.15	9.68	8.08	81.2	
K6142-06	2F	4	1.14	9.63	7.55	75.5	
K6142-08	3E	5	1.15	9.55	7.78	78.9	
K6142-09	3F	6	1.15	9.78	7.9	78.2	
K6142-12	4E	7	1.14	9.88	7.18	69.1	
K6142-13	4F	8	1.16	9.81	6.8	65.2	
K6142-15	5E	9	1.15	9.67	7.73	77.2	
K6142-16	5F	10	1.15	9.95	7.7	74.4	
K6142-18	6E	11	1.14	9.9	8.02	78.5	
K6142-19	6F	12	1.14	9.97	8.02	77.9	
K6143-01	7E	13	1.12	9.7	7.99	80.1	
K6143-02	7E-DUP	14	1.13	9.59	8.09	82.3	
K6143-03	7F	15	1.14	9.78	7.98	79.2	
K6143-05	8E	16	1.14	9.63	7.95	80.2	
K6143-06	8F	17	1.15	9.71	7.51	74.3	
K6143-08	9E	18	1.13	9.59	7.69	77.5	
K6143-09	9F	19	1.16	9.78	7.65	75.3	
K6143-11	10E	20	1.14	9.5	7.63	77.6	
K6143-12	10F	21	1.15	9.83	8.1	80.1	
K6143-13	10F-DUP	22	1.13	9.57	7.69	77.7	
K6143-15	11E	23	1.12	9.71	8.29	83.5	
K6143-16	11F	24	1.13	9.63	8.16	82.7	
K6143-18	12E	25	1.13	9.56	7.97	81.1	
K6143-19	12F	26	1.12	9.85	8.15	80.5	
K6144-01	13E	27	1.13	9.64	8.12	82.1	
K6144-02	13F	28	1.14	9.8	7.9	78.1	



PERCENT SOLID

Supervisor: apatel
Analyst: JIGNESH
Date: 12/10/2019

OVENTEMP IN Celsius(°C): 107
Time IN: 17:21
In Date: 12/09/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 12/10/2019
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB106659

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
K6144-05	14E	29	1.11	9.62	7.00	69.2	
K6144-06	14F	30	1.13	9.94	7.86	76.4	
K6144-08	15E	31	1.12	9.64	7.59	75.9	
K6144-09	15F	32	1.12	9.98	7.96	77.2	
K6144-11	16E	33	1.15	9.59	7.68	77.4	
K6144-12	16F	34	1.15	9.89	7.98	78.1	
K6197-01	WC-S	35	1.14	9.97	8.26	80.6	
K6204-01	K072-AA-SB-1	36	1.12	6.54	6.07	91.3	
K6204-02	K072-AA-SB-2	37	1.14	5.59	5.44	96.6	
K6204-03	K072-AA-SB-3	38	1.12	4.3	3.99	90.3	
K6204-04	K072-AA-SB-4	39	1.12	6.58	6.19	92.9	
K6204-05	K072-AA-SB-5	40	1.11	6.81	6.25	90.2	
K6204-06	K072-AA-WC-1	41	1.12	9.83	9.04	90.9	
K6204-07	K072-AA-WC-2	42	1.1	9.86	9.51	96.0	
K6204-08	K072-AB-SB-1	43	1.14	5.44	5.26	95.8	
K6204-09	K072-AB-SB-2	44	1.15	6.67	6.03	88.4	
K6204-10	K072-AB-SB-3	45	1.12	5.95	5.51	90.9	
K6204-11	K072-AB-SB-4	46	1.14	5.3	5.18	97.1	
K6204-12	K072-AB-SB-5	47	1.12	5.95	5.71	95.0	
K6204-13	K072-AB-WC-1	48	1.14	9.6	9.22	95.5	
K6205-01	K165-SB-1	49	1.12	5.52	5.37	96.6	
K6205-02	K165-SB-2	50	1.13	4.92	4.83	97.6	
K6205-03	K165-SB-3	51	1.13	5.14	4.97	95.8	
K6205-04	K165-SB-4	52	1.12	5.86	5.65	95.6	
K6205-05	K165-SB-5	53	1.13	5.6	5.46	96.9	
K6205-06	K165-WC-1	54	1.12	9.77	9.35	95.1	
K6205-07	K165-WC-2	55	1.13	9.9	9.39	94.2	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$