



Analytical Summary Report

Analysis Method: 9095B

Parameter: Paint Filter

Run Number: LB106693

Reviewed By: Daniel

Supervisor Review By: apatel

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K6162-03	WC	1	100.02	0.00	12/11/2019	09:10
2	K6162-03DUP	WCDUP	1	100.04	0.00	12/11/2019	09:18
3	K6242-02	SB-01-COMP	1	100.03	0.00	12/11/2019	09:26
4	K6242-04	SB-02-COMP	1	100.05	0.00	12/11/2019	09:34
5	K6242-06	SB-03-COMP	1	100.05	0.00	12/11/2019	09:44
6	K6242-08	SB-04-COMP	1	100.03	0.00	12/11/2019	09:52
7	K6247-01	RBR200059	1	100.04	0.00	12/11/2019	09:58
8	K6247-04	RT3645	1	100.03	0.00	12/11/2019	10:06

WORKLIST(Hardcopy Internal Chain)

LS 106693

WorkList Name : PF121119 WorkList ID : 134079 Department : Wet-Chemistry Date : 12-11-2019 08:59:08

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/04/2019	Solid	K6162-03	Paint Filter	Cool 4 deg C	DIST01	H33	WC	12/04/2019	9095B
12/09/2019	Solid	K6242-02	Paint Filter	Cool 4 deg C	LIRO01	B41	SB-01-COMP	12/09/2019	9095B
12/09/2019	Solid	K6242-04	Paint Filter	Cool 4 deg C	LIRO01	B41	SB-02-COMP	12/09/2019	9095B
12/09/2019	Solid	K6242-06	Paint Filter	Cool 4 deg C	LIRO01	B41	SB-03-COMP	12/09/2019	9095B
12/09/2019	Solid	K6242-08	Paint Filter	Cool 4 deg C	LIRO01	B41	SB-04-COMP	12/09/2019	9095B
12/10/2019	Solid	K6247-01	Paint Filter	Cool 4 deg C	PSEG01	J32	RBR200059	12/10/2019	9095B
12/10/2019	Solid	K6247-04	Paint Filter	Cool 4 deg C	PSEG01	J32	RT3645	12/10/2019	9095B

Date/Time 12/11/19 9:05
 Received by: Dk
 Relinquished by: KS

Date/Time 12/11/19 10:10
 Received by: KS
 Relinquished by: Dk