



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB106743

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K6110-01	HD-02-121219	1	100.03	0.00	12/13/2019	11:00
2	K6110-01DUP	HD-02-121219DUP	1	100.04	0.00	12/13/2019	11:10
3	K6265-03	TP-1A-S	1	100.05	0.00	12/13/2019	11:18
4	K6265-07	TP-1A-D	1	100.03	0.00	12/13/2019	11:26
5	K6274-01	T2-COMP	1	100.02	0.00	12/13/2019	11:34

WORKLIST(Hardcopy Internal Chain)

LB106743

WorkList Name : PF121319 WorkList ID : 134170 Department : Wet-Chemistry Date : 12-13-2019 10:24:12

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/12/2019	Solid	K6110-01	Paint Filter	Cool 4 deg C	PSEG05	H12	HD-02-121219	12/12/2019	9095B
12/11/2019	Solid	K6265-03	Paint Filter	Cool 4 deg C	PSEG01	J43	TP-1A-S	12/11/2019	9095B
12/11/2019	Solid	K6265-07	Paint Filter	Cool 4 deg C	PSEG01	J43	TP-1A-D	12/11/2019	9095B
12/12/2019	Solid	K6274-01	Paint Filter	Cool 4 deg C	PSEG01	H12	T2-COMP	12/12/2019	9095B

Date/Time 12/13/19 10:40
 Received by: DK
 Relinquished by: KS

Date/Time 12/13/19 11:38
 Received by: KS
 Relinquished by: DK