



### Analytical Summary Report

Analysis Method: 9095B  
Parameter: Paint Filter  
Run Number: LB106880

Reviewed By: ketankumar  
Supervisor Review By: apatel  
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	K6107-01	HR-06-121819	1	100.03	0.00	12/20/2019	13:02
2	K6107-01DUP	HR-06-121819DUP	1	100.01	0.00	12/20/2019	13:10
3	K6117-07	TR-04-121919	1	100.02	0.00	12/20/2019	13:18
4	K6370-01	TP1-3	1	100.05	0.00	12/20/2019	13:25
5	K6370-03	TP1-6	1	100.04	0.00	12/20/2019	13:35
6	K6370-05	TP2-3	1	100.07	0.00	12/20/2019	13:42
7	K6370-07	TP2-6	1	100.06	0.00	12/20/2019	13:50
8	K6386-01	STOCKPILE	1	100.09	0.00	12/20/2019	13:58
9	K6395-04	WC	1	100.08	0.00	12/20/2019	14:05

LB 106880

### WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF122019      WorkList ID : 134451      Department : Wet-Chemistry      Date : 12-20-2019 12:48:43

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/18/2019	Solid	K6107-01	Paint Filter	Cool 4 deg C	PSEG05	H23	HR-06-121819	12/18/2019	9095B
12/19/2019	Solid	K6117-07	Paint Filter	Cool 4 deg C	PSEG05	H23	TR-04-121919	12/19/2019	9095B
12/18/2019	Solid	K6370-01	Paint Filter	Cool 4 deg C	PSEG01	H23	TP1-3	12/18/2019	9095B
12/18/2019	Solid	K6370-03	Paint Filter	Cool 4 deg C	PSEG01	H23	TP1-6	12/18/2019	9095B
12/18/2019	Solid	K6370-05	Paint Filter	Cool 4 deg C	PSEG01	H23	TP2-3	12/18/2019	9095B
12/18/2019	Solid	K6370-07	Paint Filter	Cool 4 deg C	PSEG01	H23	TP2-6	12/18/2019	9095B
12/19/2019	Solid	K6386-01	Paint Filter	Cool 4 deg C	TULL01	D61	STOCKPILE	12/19/2019	9095B
12/20/2019	Solid	K6395-04	Paint Filter	Cool 4 deg C	DIST01	D51	WC	12/20/2019	9095B

Date/Time 12/20/19 12:50  
 Received by: KS  
 Relinquished by: Dk

Date/Time 12/20/19 14:15  
 Received by: Dk  
 Relinquished by: KS