



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB106938

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	K6113-11	OR-03-122619	1	100.03	0.00	12/26/2019	08:00
2	K6113-11DUP	OR-03-122619DUP	1	100.04	0.00	12/26/2019	08:10
3	K6117-10	TR-05-122619	1	100.05	0.00	12/26/2019	08:18
4	K6118-10	SU-01-122319	1	100.04	0.00	12/26/2019	08:28
5	K6417-01	TP-1	1	100.03	0.00	12/26/2019	08:38
6	K6417-02	TP-2	1	100.05	0.00	12/26/2019	08:48

WORKLIST(Hardcopy Internal Chain)

LB106938

Worklist Name : PF122619

Worklist ID : 134562

Department : Wet-Chemistry

Date : 12-26-2019 07:40:32

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
12/26/2019	Solid	K6113-11	Paint Filter	Cool 4 deg C	PSEG05		OR-03-122619	12/26/2019	9095B
12/26/2019	Solid	K6117-10	Paint Filter	Cool 4 deg C	PSEG05		TR-05-122619	12/26/2019	9095B
12/23/2019	Solid	K6118-10	Paint Filter	Cool 4 deg C	PSEG05		SU-01-122319	12/23/2019	9095B
12/23/2019	Solid	K6417-01	Paint Filter	Cool 4 deg C	PSEG01	N31	TP-1	12/23/2019	9095B
12/23/2019	Solid	K6417-02	Paint Filter	Cool 4 deg C	PSEG01	N31	TP-2	12/23/2019	9095B

Date/Time 12/26/19 7:48
 Received by: DK
 Relinquished by: PM

Date/Time 12/26/19 08:55
 Received by: PM
 Relinquished by: DK