



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB107081

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1013-01	PL-01-010720	1	100.03	0.00	01/08/2020	08:40
2	L1013-01DUP	PL-01-010720DUP	1	100.05	0.00	01/08/2020	08:50
3	L1016-01	SU-02-010720	1	100.04	0.00	01/08/2020	09:00
4	L1017-01	TR-04-010620	1	100.02	0.00	01/08/2020	09:10
5	L1049-01	TP-1	1	100.03	0.00	01/08/2020	09:20
6	L1049-04	TP-2	1	100.04	0.00	01/08/2020	09:30
7	L1049-07	TP-3	1	100.03	0.00	01/08/2020	09:40
8	L1049-10	TP-4	1	100.02	0.00	01/08/2020	09:50

LB107081

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf010820 WorkList ID : 134867 Department : Wet-Chemistry Date : 01-08-2020 08:26:42

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/07/2020	Solid	L1013-01	✓ Paint Filter	Cool 4 deg C	PSEG05	I12	PL-01-010720	01/07/2020	9095B
01/07/2020	Solid	L1016-01	✓ Paint Filter	Cool 4 deg C	PSEG05	I12	SU-02-010720	01/07/2020	9095B
01/06/2020	Solid	L1017-01	✓ Paint Filter	Cool 4 deg C	PSEG05	I11	TR-04-010620	01/06/2020	9095B
01/07/2020	Solid	L1049-01	✓ Paint Filter	Cool 4 deg C	PSEG01	I12	TP-1	01/07/2020	9095B
01/07/2020	Solid	L1049-04	✓ Paint Filter	Cool 4 deg C	PSEG01	I12	TP-2	01/07/2020	9095B
01/07/2020	Solid	L1049-07	✓ Paint Filter	Cool 4 deg C	PSEG01	I12	TP-3	01/07/2020	9095B
01/07/2020	Solid	L1049-10	✓ Paint Filter	Cool 4 deg C	PSEG01	I12	TP-4	01/07/2020	9095B

Date/Time 01/08/2020 8:30
 Received by: DK
 Relinquished by: KS

Date/Time 01/08/2020 10:00
 Received by: KS
 Relinquished by: DK