



## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB107113

BalanceID: WC SC-4

| Seq | LabID       | ClientID   | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|------------|----------|-----------|------------------------|------------|-----------|
| 1   | L1060-01    | TP-1       | 1        | 100.04    | 0.00                   | 01/10/2020 | 10:38     |
| 2   | L1060-01DUP | TP-1DUP    | 1        | 100.05    | 0.00                   | 01/10/2020 | 10:46     |
| 3   | L1060-07    | TP-2       | 1        | 100.03    | 0.00                   | 01/10/2020 | 11:05     |
| 4   | L1060-13    | TP-3       | 1        | 100.04    | 0.00                   | 01/10/2020 | 11:15     |
| 5   | L1064-01    | SOIL-A     | 1        | 100.02    | 0.00                   | 01/10/2020 | 11:25     |
| 6   | L1064-05    | SOIL-B     | 1        | 100.01    | 0.00                   | 01/10/2020 | 11:35     |
| 7   | L1070-01    | RBR-200030 | 1        | 100.05    | 0.00                   | 01/10/2020 | 11:45     |
| 8   | L1070-04    | RBR-200059 | 1        | 100.03    | 0.00                   | 01/10/2020 | 11:55     |

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf011020      WorkList ID : 134932      Department : Wet-Chemistry      Date : 01-10-2020 10:29:53

| Due Date   | Matrix | Sample   | Test | Preservative | Customer     | Storage Location | Customer Sample | Collect Date | Method |
|------------|--------|----------|------|--------------|--------------|------------------|-----------------|--------------|--------|
| 01/08/2020 | Solid  | L1060-01 | B    | Paint Filter | Cool 4 deg C | PSEG01           | TP-1            | 01/08/2020   | 9095B  |
| 01/08/2020 | Solid  | L1060-07 | F    | Paint Filter | Cool 4 deg C | PSEG01           | TP-2            | 01/08/2020   | 9095B  |
| 01/08/2020 | Solid  | L1060-13 | G    | Paint Filter | Cool 4 deg C | PSEG01           | TP-3            | 01/08/2020   | 9095B  |
| 01/09/2020 | Solid  | L1064-01 | G    | Paint Filter | Cool 4 deg C | PSEG01           | SOIL-A          | 01/09/2020   | 9095B  |
| 01/09/2020 | Solid  | L1064-05 | G    | Paint Filter | Cool 4 deg C | PSEG01           | SOIL-B          | 01/09/2020   | 9095B  |
| 01/09/2020 | Solid  | L1070-01 | ✓    | Paint Filter | Cool 4 deg C | PSEG01           | RBR-200030      | 01/09/2020   | 9095B  |
| 01/09/2020 | Solid  | L1070-04 | ✓    | Paint Filter | Cool 4 deg C | PSEG01           | RBR-200059      | 01/09/2020   | 9095B  |

Date/Time 01/10/20 10:30  
 Received by: Dk  
 Relinquished by: Dk

Date/Time 01/10/20 12:00  
 Received by: DR  
 Relinquished by: Dk