



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB107173

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1005-01	HR-05-011420	1	100.03	0.00	01/15/2020	09:25
2	L1005-01DUP	HR-05-011420DUP	1	100.05	0.00	01/15/2020	09:32
3	L1123-09	SB-01-COMP	1	100.04	0.00	01/15/2020	09:38
4	L1123-10	SB-02-COMP	1	100.03	0.00	01/15/2020	09:46
5	L1123-11	SB-03-COMP	1	100.04	0.00	01/15/2020	09:56
6	L1123-12	SB-04-COMP	1	100.03	0.00	01/15/2020	10:05

WORKLIST(Hardcopy Internal Chain)

LB107173

WorkList Name : pf011520 WorkList ID : 135038 Department : Wet-Chemistry Date : 01-15-2020 09:16:43

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/14/2020	Solid	L1005-01	✓ Paint Filter	Cool 4 deg C	PSEG05	I22	HR-05-011420	01/14/2020	9095B
01/13/2020	Solid	L1123-09	✓ Paint Filter	Cool 4 deg C	LIRO01	I13	SB-01-COMP	01/13/2020	9095B
01/13/2020	Solid	L1123-10	✓ Paint Filter	Cool 4 deg C	LIRO01	I13	SB-02-COMP	01/13/2020	9095B
01/13/2020	Solid	L1123-11	✓ Paint Filter	Cool 4 deg C	LIRO01	I13	SB-03-COMP	01/13/2020	9095B
01/13/2020	Solid	L1123-12	✓ Paint Filter	Cool 4 deg C	LIRO01	I13	SB-04-COMP	01/13/2020	9095B

Date/Time 01/15/2020 9:20
 Received by: DK
 Relinquished by: KS

Date/Time 01/15/2020 10:15
 Received by: KS
 Relinquished by: DK