



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB107199

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1006-01	HD-01-011520	1	100.03	0.00	01/16/2020	08:20
2	L1006-01DUP	HD-01-011520DUP	1	100.05	0.00	01/16/2020	08:30
3	L1010-06	OK-02-011620	1	100.04	0.00	01/16/2020	08:40
4	L1016-05	SU-03-011520	1	100.02	0.00	01/16/2020	08:50
5	L1017-04	TR-05-011520	1	100.03	0.00	01/16/2020	09:00
6	L1114-01	RBR-200057-27	1	100.05	0.00	01/16/2020	09:10

LS107199

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf011620 WorkList ID : 135105 Department : Wet-Chemistry Date : 01-16-2020 08:10:13

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/15/2020	Solid	L1006-01	✓ Paint Filter	Cool 4 deg C	PSEG05	I23	HD-01-011520	01/15/2020	9095B
01/16/2020	Solid	L1010-06	✓ Paint Filter	Cool 4 deg C	PSEG05		OK-02-011620	01/16/2020	9095B
01/15/2020	Solid	L1016-05	✓ Paint Filter	Cool 4 deg C	PSEG05		SU-03-011520	01/15/2020	9095B
01/15/2020	Solid	L1017-04	✓ Paint Filter	Cool 4 deg C	PSEG05		TR-05-011520	01/15/2020	9095B
01/14/2020	Solid	L1114-01	✓ Paint Filter	Cool 4 deg C	PSEG01	I23	RBR-200057-27	01/14/2020	9095B

Date/Time 01/16/2020 08:15
 Received by: DK
 Relinquished by: KS

Date/Time 01/16/2020
 Received by: KS
 Relinquished by: DK