



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB107220

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1008-08	CL-01-011620	1	100.03	0.00	01/17/2020	08:10
2	L1008-08DUP	CL-01-011620DUP	1	100.05	0.00	01/17/2020	08:20
3	L1012-01	EO-02-011620	1	100.05	0.00	01/17/2020	08:27
4	L1154-01	B4-0-15	1	100.04	0.00	01/17/2020	08:34
5	L1154-03	B4-15-20	1	100.03	0.00	01/17/2020	08:40
6	L1154-05	B3-0-15	1	100.02	0.00	01/17/2020	08:48
7	L1154-07	B3-15-20	1	100.05	0.00	01/17/2020	08:54
8	L1155-01	RBR-200028	1	100.03	0.00	01/17/2020	09:00
9	L1155-04	RBR-200052	1	100.04	0.00	01/17/2020	09:10

LB107220

WORKLIST(Hardcopy Internal Chain)

WorkList Name : p1011720 WorkList ID : 135127 Department : Wet-Chemistry Date : 01-17-2020 08:00:38

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/16/2020	Solid	L1008-08	Paint Filter	Cool 4 deg C	PSEG05	I31	CL-01-011620	01/16/2020	9095B
01/16/2020	Solid	L1012-01	Paint Filter	Cool 4 deg C	PSEG05	I31	EO-02-011620	01/16/2020	9095B
01/16/2020	Solid	L1154-01	Paint Filter	Cool 4 deg C	PSEG01	I31	B4-0-15	01/16/2020	9095B
01/16/2020	Solid	L1154-03	Paint Filter	Cool 4 deg C	PSEG01	I31	B4-15-20	01/16/2020	9095B
01/16/2020	Solid	L1154-05	Paint Filter	Cool 4 deg C	PSEG01	I31	B3-0-15	01/16/2020	9095B
01/16/2020	Solid	L1154-07	Paint Filter	Cool 4 deg C	PSEG01	I31	B3-15-20	01/16/2020	9095B
01/16/2020	Solid	L1155-01	Paint Filter	Cool 4 deg C	PSEG01	I31	RBR-200028	01/16/2020	9095B
01/16/2020	Solid	L1155-04	Paint Filter	Cool 4 deg C	PSEG01	I31	RBR-200052	01/16/2020	9095B

Date/Time 01/17/2020 8:25
 Received by: SP
 Relinquished by: SP

Date/Time 01/17/2020 9:20
 Received by: SP
 Relinquished by: SP