



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB107245

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1004-10	BU-02-101720	1	100.03	0.00	01/20/2020	09:10
2	L1004-10DUP	BU-02-101720DUP	1	100.02	0.00	01/20/2020	09:18
3	L1014-06	OR-02-011720	1	100.04	0.00	01/20/2020	09:24
4	L1181-05	93OAK-AVE-COMP	1	100.05	0.00	01/20/2020	09:30
5	L1188-01	B2-0-15	1	100.03	0.00	01/20/2020	09:40
6	L1188-03	B2-15-30	1	100.03	0.00	01/20/2020	09:50

WORKLIST(Hardcopy Internal Chain)

LB107245

WorkList Name : pf012020 WorkList ID : 135171 Department : Wet-Chemistry Date : 01-20-2020 09:00:10

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/17/2020	Solid	L1004-10	✓ Paint Filter	Cool 4 deg C	PSEG05		BU-02-101720	01/17/2020	9095B
01/17/2020	Solid	L1014-06	✓ Paint Filter	Cool 4 deg C	PSEG05		OR-02-011720	01/17/2020	9095B
01/16/2020	Solid	L1181-05	✓ Paint Filter	Cool 4 deg C	PSEG01	I31	93OAK-AVE-COMP	01/16/2020	9095B
01/17/2020	Solid	L1188-01	✓ Paint Filter	Cool 4 deg C	PSEG01	I31	B2-0-15	01/17/2020	9095B
01/17/2020	Solid	L1188-03	✓ Paint Filter	Cool 4 deg C	PSEG01	I31	B2-15-30	01/17/2020	9095B

Date/Time 01/20/2020 9:05
 Received by: DK
 Relinquished by: KS

Date/Time 01/20/2020 9:57
 Received by: KS
 Relinquished by: DK