CHEMTECH

PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 2/3/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 01/24/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN #1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 01/25/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC: LB107326

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
L1008-15	CL-02-012420	47	1.14	9.62	8.79	90.2	
L1008-16	CL-02-012420	48	1.15	9.76	8.68	87.5	
L1008-17	CL-02-012420-1	49	1.14	9.63	8.92	91.6	
L1008-18	CL-02-012420-2	50	1.13	9.8	8.97	90.4	
L1008-19	CL-02-012420-3	51	1.15	9.56	8.59	88.5	
L1008-20	CL-02-012420-4	52	1.14	9.71	9.02	91.9	
L1010-10	OK-01-012420	53	1.15	9.55	9.04	93.9	
L1010-11	OK-01-012420	54	1.14	9.64	9.22	95.1	
L1017-07	TR-04-012420	55	1.13	9.54	9.15	95.4	
L1017-08	TR-04-012420	56	1.14	9.63	9.19	94.8	
L1186-07	PCAS-1	36	1.00	2.00	2.00	100.0	100% SOLIDS
L1247-01	TP-4-5	1	1.16	7.75	6.69	83.9	
L1247-02	TP-4-2.0-2.5	2	1.14	9.91	8.55	84.5	
L1247-03	TP-4-7.0-7.5	3	1.13	9.86	8.16	80.5	
L1247-04	TP-4-12.5-13.0	4	1.13	9.88	8.88	88.6	
L1247-05	TP-4-5-COMP	5	1.14	9.98	8.59	84.3	
L1247-06	TP-4-5-COMP	6	1.14	9.98	8.59	84.3	
L1247-07	TP-4-5-COMP	7	1.14	9.98	8.59	84.3	
L1247-09	TP-7-6	8	1.15	9.77	8.41	84.2	
L1247-10	TP-7-2.0-2.5	9	1.14	8.72	7.67	86.1	
L1247-11	TP-7-7.0-7.5	10	1.14	9.81	8.42	84.0	
L1247-12	TP-7-10.5-11.0	11	1.14	9.87	8.57	85.1	
L1247-13	TP-7-6-COMP	12	1.15	9.93	8.26	81.0	
L1247-14	TP-7-6-COMP	13	1.12	9.63	8.39	85.4	
L1247-15	TP-7-6-COMP	14	1.12	9.57	8.15	83.2	
L1247-17	TP-10-9	15	1.12	5.65	4.91	83.7	
L1247-18	TP-10-2.0-2.5	16	1.14	9.97	8.66	85.2	
L1247-19	TP-10-7.0-7.5	17	1.13	9.72	8.46	85.3	

CHEMTECH

PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 2/3/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 01/24/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN #1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 01/25/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC: LB107326

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
L1247-20	TP-10-11.5-12.0	18	1.13	9.66	8.69	88.6	
L1247-21	TP-10-9-COMP	19	1.13	9.64	8.5	86.6	
L1247-22	TP-10-9-COMP	20	1.12	9.59	8.43	86.3	
L1247-23	TP-10-9-COMP	21	1.12	9.96	8.97	88.8	
L1247-25	TP-13-15	22	1.12	6.33	6.06	94.8	
L1247-26	TP-13-15-1.0-1.5	23	1.13	9.78	9.34	94.9	
L1247-27	TP-13-15-7.0-7.5	24	1.14	9.61	9.4	97.5	
L1247-28	TP-13-15-11.5-12.0	25	1.14	9.79	9.52	96.9	
L1247-29	TP-13-15-COMP	26	1.13	9.98	9.69	96.7	
L1247-30	TP-13-15-COMP	27	1.13	9.92	9.62	96.6	
L1247-31	TP-13-15-COMP	28	1.13	9.76	9.45	96.4	
L1247-33	TP-19-18	29	1.14	5.77	5.62	96.8	
L1247-34	TP-19-18-2.0-2.5	30	1.13	9.81	9.44	95.7	
L1247-35	TP-19-18-7.0-7.5	31	1.12	9.54	9.15	95.4	
L1247-36	TP-19-18-11.5-12.0	32	1.13	9.54	9.14	95.2	
L1247-37	TP-19-18-COMP	33	1.14	9.55	9.17	95.5	
L1247-38	TP-19-18-COMP	34	1.14	9.95	9.55	95.5	
L1247-39	TP-19-18-COMP	35	1.14	9.7	9.25	94.7	
L1250-05	SVOC-GPC-BLANK	37	1.00	2.00	2.00	100.0	
L1250-06	PEST-GPC-BLANK	38	1.00	2.00	2.00	100.0	
L1250-07	PEST-GPC-BLANK-SPIKE	39	1.00	2.00	2.00	100.0	
L1250-08	PCB-GPC-BLANK	40	1.00	2.00	2.00	100.0	
L1250-09	PCB-GPC-BLANK-SPIKE	41	1.00	2.00	2.00	100.0	
L1250-10	SVOC-GPC2-BLANK	42	1.00	2.00	2.00	100.0	
L1250-11	PEST-GPC2-BLANK	43	1.00	2.00	2.00	100.0	
L1250-12	PEST-GPC2-BLANK-SPIKE	44	1.00	2.00	2.00	100.0	
L1250-13	PCB-GPC2-BLANK	45	1.00	2.00	2.00	100.0	
L1250-14	PCB-GPC2-BLANK-SPIKE	46	1.00	2.00	2.00	100.0	

CHEMTECH

PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 2/3/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 01/24/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN #1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 01/25/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC: LB107326

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
L1255-01	0074-COMPOSITE	57	1.12	9.52	3.95	33.7	
L1258-01	SP-1	58	1.13	9.53	8.72	90.4	
L1258-02	SP-1A	59	1.12	9.72	8.96	91.2	
L1262-01	B10(0-15)	60	1.14	9.91	8.33	82.0	
L1262-02	B10(0-15)	61	1.13	9.84	8.51	84.7	
L1263-01	CTY-SB-03-10-11	62	1.14	9.77	8.48	85.1	
L1263-02	CTY-SB-02-6-7	63	1.15	9.97	8.76	86.3	
L1263-03	CTY-SB-02-10-11	64	1.14	8.93	7.61	83.1	
L1263-04	CTY-SB-0203-0-11	65	1.15	9.58	8.35	85.4	
L1263-05	CTY-SB-02-26-27	66	1.15	9.73	6.11	57.8	
L1265-02	CTY-WC-S-SB-0203	67	1.13	9.89	8.74	86.9	
L1268-01	30529	68	1.00	2.00	2.00	100.0	100% SOLIDS

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$