



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB107362

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	L1008-15	CL-02-012420	1	100.03	0.00	01/27/2020	09:25
2	L1008-15DUP	CL-02-012420DUP	1	100.04	0.00	01/27/2020	09:34
3	L1017-07	TR-04-012420	1	100.02	0.00	01/27/2020	09:40
4	L1262-01	B10 (0-15)	1	100.05	0.00	01/27/2020	09:48
5	L1269-05	TP-22-21-COMP	1	100.04	0.00	01/27/2020	09:55
6	L1269-13	TP-25-24-COMP	1	100.03	0.00	01/27/2020	10:05

WORKLIST(Hardcopy Internal Chain)

LB107362

WorkList Name : pf012720 WorkList ID : 135405 Department : Wet-Chemistry Date : 01-27-2020 09:16:02

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
01/24/2020	Solid	L1008-15	✓ Paint Filter	Cool 4 deg C	PSEG05		CL-02-012420	01/24/2020	9095B
01/24/2020	Solid	L1017-07	/ Paint Filter	Cool 4 deg C	PSEG05		TR-04-012420	01/24/2020	9095B
01/24/2020	Solid	L1262-01	/ Paint Filter	Cool 4 deg C	PSEG01	I41	B10(0-15)	01/24/2020	9095B
01/24/2020	Solid	L1269-05	/ Paint Filter	Cool 4 deg C	PSEG01	I41	TP-22-21-COMP	01/24/2020	9095B
01/24/2020	Solid	L1269-13	/ Paint Filter	Cool 4 deg C	PSEG01	I41	TP-25-24-COMP	01/24/2020	9095B

Date/Time 01/27/2020 9:20
 Received by: De
 Relinquished by: Se

Date/Time 01/27/2020 10:25
 Received by: Se
 Relinquished by: De