



### Analytical Summary Report

Analysis Method: 9095B  
Parameter: Paint Filter  
Run Number: LB107541

Reviewed By: Daniel  
Supervisor Review By: apatel  
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	L1363-01	HR-06-020320	1	100.03	0.00	02/04/2020	10:40
2	L1363-01DUP	HR-06-020320DUP	1	100.03	0.00	02/04/2020	10:48
3	L1368-01	EO-01-020320	1	100.05	0.00	02/04/2020	10:54
4	L1383-01	TP-A	1	100.06	0.00	02/04/2020	11:00
5	L1383-05	TP-B	1	100.02	0.00	02/04/2020	11:10
6	L1383-09	TP-C	1	100.03	0.00	02/04/2020	11:20

LB107541

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf020420      WorkList ID : 135692      Department : Wet-Chemistry      Date : 02-04-2020 10:29:26

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method	
02/03/2020	Solid	L1363-01	A	Paint Filter	Cool 4 deg C	PSEG05	L22	HR-06-020320	02/03/2020	9095B
02/03/2020	Solid	L1368-01	A	Paint Filter	Cool 4 deg C	PSEG05	L22	EO-01-020320	02/03/2020	9095B
02/03/2020	Solid	L1383-01	X	Paint Filter	Cool 4 deg C	PSEG01	L23	TP-A	02/03/2020	9095B
02/03/2020	Solid	L1383-05	✓	Paint Filter	Cool 4 deg C	PSEG01	L23	TP-B	02/03/2020	9095B
02/03/2020	Solid	L1383-09	✓	Paint Filter	Cool 4 deg C	PSEG01	L23	TP-C	02/03/2020	9095B

Date/Time 02/04/2020 10:39  
 Received by: Dk  
 Relinquished by: KS

Date/Time 02/04/2020 11:25  
 Received by: KS  
 Relinquished by: DK