



Extraction and Analytical Summary Report

Analysis Method: 1664A
Test: Non-Polar Material
Run Number: LB107548
Analysis Date: 02/05/2020
BalanceID: WC SC-3
OvenID: WC OVEN-1

ANALYST: jignesh
REVIEWED BY: apatel
Extraction Date: 02/05/2020
Extraction IN Time: 08:00
Extraction OUT Time: 08:35

Dish #	Lab ID	Client ID	Matrix	pH	Sample Vol (ml)	Final Volume (ml)	Empty Dish Weight	Final Empty Dish Weight (g)	Silica Gel Weight (g)	Weight After Drying (g)	Final Weight After Drying (g)	Change Weight (g)	Result in ppm
1	LB107548BL	LB107548BL	WATER	1.3	1000	100	2.4633	2.4633	3.02	2.4633	2.4633	0.0000	0
2	LB107548BS	LB107548BS	WATER	1.3	1000	100	2.8494	2.8494	3.01	2.8684	2.8684	0.0190	19
3	LB107548BSD	LB107548BSD	WATER	1.3	1000	100	2.3147	2.3147	3.03	2.3339	2.3339	0.0192	19.2
4	L1389-01	NON-POLAR-MATERIAL	WATER	1.6	1000	100	2.9444	2.9444	3.03	2.9453	2.9453	0.0009	0.9
5	L1389-02	NON-POLAR-MATERIAL	WATER	1.6	1000	100	2.9488	2.9488	3.04	2.9501	2.9501	0.0013	1.3
6	L1389-03	NON-POLAR-MATERIAL	WATER	1.6	1000	100	2.6417	2.6417	3.02	2.6428	2.6428	0.0011	1.1
7	L1389-04	NON-POLAR-MATERIAL	WATER	1.6	1000	100	2.9379	2.9379	3.05	2.9392	2.9392	0.0013	1.3
8	L1392-01	DSN-001-SEWER-OUTLET-0	WATER	1.6	1000	100	2.9464	2.9464	3.04	2.9543	2.9543	0.0079	7.9
9	L1392-02	DSN-002-SEWER-OUTLET-0	WATER	1.6	1000	100	2.9372	2.9372	3.03	2.9437	2.9437	0.0065	6.5



QC Batch# LB107548 Test: Non-Polar Mate Analysis Date: 02/05/2020

Chemicals Used:

Chemical Name	Chemical Lot #
HEXANE	W2636
PH STRIPS BOX-0.2.5	M4462
Sodium Sulfate	EP2021
1:1 HCL	WP80893
Silica Gel	
Sand	NA

Standards Used:

Standard Name	Amount Used	Standard Lot #
LCSW	10.00 ML	WP80894
LCSWD	10.00 ML	WP80895
MS/MSD	NA	NA

BALANCE CALIBRATION / OVEN Dessicator Data

Analytical Balance ID # : WC SC-3

Before Analysis

0.0020 gram Balance:	<u>0.0021</u>	In OVEN TEMP1 :	<u>70 °C</u>	Dessicator Time In1	<u>11:11</u>
1.0000 gram Balance:	<u>1.0004</u>	In Time1:	<u>09:10</u>		
Bal Check Time:	<u>08:20</u>	Out OVEN TEMP1:	<u>70 °C</u>	Dessicator Time Out1	<u>11:45</u>
		Out Time1	<u>10:10</u>		

After Analysis

0.0020 gram Balance:	<u>0.0018</u>	In OVEN TEMP2 :	<u>71 °C</u>	Dessicator Time In2	<u>12:46</u>
1.0000 gram Balance:	<u>1.0005</u>	In Time2:	<u>12:15</u>		
Bal Check Time:	<u>14:00</u>	Out OVEN TEMP2:	<u>71 °C</u>	Dessicator Time Out2	<u>13:15</u>
		Out Time2:	<u>12:45</u>		

WORKLIST(Hardcopy Internal Chain)

WorkList Name : NON POPLAR L1384

WorkList ID : 135718

Department : Wet-Chemistry

Date : 02-05-2020 07:45:23

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/17/2020	Water	L1389-01	✓ Non-Polar Material	Conc H2SO4 tc	AMER08	L23	NON-POLAR-MATERIAL	02/04/2020	1664A
02/17/2020	Water	L1389-02	✓ Non-Polar Material	Conc H2SO4 tc	AMER08	L23	NON-POLAR-MATERIAL	02/04/2020	1664A
02/17/2020	Water	L1389-03	✓ Non-Polar Material	Conc H2SO4 tc	AMER08	L23	NON-POLAR-MATERIAL	02/04/2020	1664A
02/17/2020	Water	L1389-04	✓ Non-Polar Material	Conc H2SO4 tc	AMER08	L23	NON-POLAR-MATERIAL	02/04/2020	1664A
02/17/2020	Water	L1392-01	✓ Non-Polar Material	Conc H2SO4 tc	TRIS02	L22	DSN-001-SEWER-OUTLET-01	02/04/2020	1664A
02/17/2020	Water	L1392-02	✓ Non-Polar Material	Conc H2SO4 tc	TRIS02	L22	DSN-002-SEWER-OUTLET-01	02/04/2020	1664A

Date/Time

Received by:

Relinquished by:

02/05/2020 7:50

SP

SP

Date/Time

Received by:

Relinquished by:

02/05/2020 10:30

SP

SP