

Clear table

IC-1 9056A

02-06-20 AK

ident	concentra tion F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time	Initial wt/ Final Vol	Analyst
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-01-28	1/28/20 9:34		AK/AP
STD2	0.2670	0.4010	0.3860	1.3090	0.3410	0.3390	1.9760	2020-01-28	1/28/20 10:05		AK/AP
STD3	0.4650	0.6380	0.6420	2.1400	0.5450	0.8910	3.1360	2020-01-28	1/28/20 10:36		AK/AP
STD4	0.8720	1.1730	1.1710	3.9670	0.9970	2.0020	5.7610	2020-01-28	1/28/20 11:07		AK/AP
STD5	1.9180	2.8930	2.9590	9.8060	2.4400	4.7580	13.6710	2020-01-28	1/28/20 11:37		AK/AP
STD6	3.8990	5.8470	6.0020	19.5560	4.9120	9.5460	28.9560	2020-01-28	1/28/20 12:08		AK/AP
STD7	5.0620	7.6520	7.4690	25.2280	6.3170	12.5350	38.0320	2020-01-28	1/28/20 12:39		AK/AP
ICV	1.9450	2.8500	2.8810	9.6870	2.4020	5.0640	14.8010	2020-01-28	1/28/20 13:10		AK/AP
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-01-28	1/28/20 13:44		AK/AP
CCV	1.9520	2.8240	2.8100	9.3050	2.3170	4.7040	14.2710	2020-02-06	2/6/20 8:56		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-02-06	2/6/20 9:32		AK/AP
LB107582BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-02-06	2/6/20 10:02		AK/AP
LB107582BSW	1.9260	2.8100	2.8400	9.3850	2.3360	4.9160	14.7720	2020-02-06	2/6/20 10:33		AK/AP
L1161-09	0.1480	0.2850	0.2220	0.7300	0.1880	0.1110	1.4790	2020-02-06	2/6/20 11:44		AK/AP
CCV	1.9220	2.7700	2.8090	9.2410	2.3120	4.8870	14.2300	2020-02-06	2/6/20 12:15		AK/AP
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2020-02-06	2/6/20 12:45		AK/AP


CALIBRATION OF COMPONENT F-

Method: ANIONS 01-28-20.mtw
 Equation: $Q = 0.879124 \cdot A + 0.861179$
 RSD: 3.408 %
 Correlation coefficient: 0.999509

IC-1 Cal

01-28-20

AK




K3 = 0 K2 = 0 K1 = 0.879124 K0 = 0.861179

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1476	3.058	0.2	20	5.773			Yes
3	0.3098	8.3	0.4	20	5.773			Yes
4	0.7569	19.1	0.8	20	5.773			Yes
5	1.898	43.09	2	20	5.773			Yes
6	4.003	88.48	4	20	5.773			Yes
7	5.314	114.2	5	20	5.773			Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 01-28-20.mtw
 Equation: $Q = 1.21457 \cdot A + 2.23008$
 RSD: 4.290 %
 Correlation coefficient: 0.999222




K3 = 0 K2 = 0 K1 = 1.21457 K0 = 2.23008

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.421	4.828	0.3	20	9.479		Yes
3	0.802	8.682	0.6	20	9.479		Yes
4	1.642	17.28	1.2	20	9.479		Yes
5	4.367	45.81	3	20	9.479		Yes
6	9.262	94.5	6	20	9.479		Yes
7	11.95	124.2	7.5	20	9.479		Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 01-28-20.mtw
 Equation: $Q = 0.551936 \cdot A + 1.77555$
 RSD: 2.008 %
 Correlation coefficient: 0.999830




K3 = 0 K2 = 0 K1 = 0.551936 K0 = 1.77555

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.7331	9.775	0.3	20	12.05		Yes
3	1.418	19.09	0.6	20	12.05		Yes
4	2.765	37.94	1.2	20	12.05		Yes
5	7.154	103.8	3	20	12.05		Yes
6	14.05	216.7	6	20	12.05		Yes
7	16.88	267.4	7.5	20	12.05		Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 01-28-20.mtw
 Equation: $Q = 2.84694 \cdot A + 5.56291$
 RSD: 2.003 %
 Correlation coefficient: 0.999830



K3 = 0 K2 = 0 K1 = 2.84694 K0 = 5.56291

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.3908	6.449	1	20	14.2			Yes
3	0.7635	12.36	2	20	14.2			Yes
4	1.585	25.26	4	20	14.2			Yes
5	4.255	67.54	10	20	14.2			Yes
6	9.07	136.9	20	20	14.2			Yes
7	11.66	175.3	25	20	14.2			Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 01-28-20.mtw
 Equation: $Q = 0.501757 \cdot A + 1.50149$
 RSD: 2.314 %
 Correlation coefficient: 0.999774




K3 = 0 K2 = 0 K1 = 0.501757 K0 = 1.50149
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0		0	No
2	0.4703	9.1	0.25	20	16.36	Yes		
3	0.9096	17.55	0.5	20	16.36	Yes		
4	1.876	35.85	1	20	16.36	Yes		
5	4.938	94.69	2.5	20	16.36	Yes		
6	10.31	193.9	5	20	16.36	Yes		
7	13.17	248.8	6.25	20	16.36	Yes		

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 01-28-20.mtw
 Equation: $Q = 1.08728 \cdot A - 4.60375$
 RSD: 1.249 %
 Correlation coefficient: 0.999934



K3 = 0 K2 = 0 K1 = 1.08728 K0 = -4.60375

Base: Area

Ref.channel: Cond

ISTD:


Formula: Linear

Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.3696	12.67	0.5	20	22.65	Yes	
3	0.6826	22.01	1	20	22.65	Yes	
4	1.345	42.65	2	20	22.65	Yes	
5	3.177	96.54	5	20	22.65	Yes	
6	6.415	187	10	20	22.65	Yes	
7	8.211	234.8	12.5	20	22.65	Yes	

CALIBRATION OF COMPONENT SO4

Method: ANIONS 01-28-20.mtw
 Equation: $Q = 1.64354 \cdot A + 14.825$
 RSD: 3.962 %
 Correlation coefficient: 0.999336



K3 = 0 K2 = 0 K1 = 1.64354 K0 = 14.825

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.5802	16.11	1.5	20	26.38			Yes
3	1.117	29.97	3	20	26.38			Yes
4	2.308	62.43	6	20	26.38			Yes
5	6.201	162.9	15	20	26.38			Yes
6	13.48	352.3	30	20	26.38			Yes
7	17.44	453.8	37.5	20	26.38			Yes

Report date: 1/29/2020 9:35:27 AM
Printed by: wet


Ident: STD1
Analysis from: 1/28/2020 9:34:18 AM
File: _2020-01-28_

Last save: 1/28/2020 10:02:08 AM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69694

Last save: 1/28/2020 8:35:00 AM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 1/29/2020 9:35:40 AM
Printed by: wet


Ident: STD2
Analysis from: 1/28/2020 10:05:13 AM
File: _2020-01-28_

Last save: 1/28/2020 10:33:02 AM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69695

Last save: 1/28/2020 10:02:08 AM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.86	0.252	0.15	4.73	3.058	4.93	0.
2	9.18	0.160	0.42	13.53	4.828	7.79	0.
3	11.11	0.198	0.73	23.53	9.775	15.77	0.
4	14.36	0.243	0.39	12.56	6.449	10.40	0.
5	16.66	0.285	0.47	15.09	9.100	14.68	0.
6	22.34	0.418	0.37	11.85	12.670	20.44	0.
7	26.03	0.407	0.58	18.62	16.111	25.99	0.
7	28.00	0.281	3.11	99.91	61.992	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/29/2020 9:35:48 AM
Printed by: wet


Ident: STD3
Analysis from: 1/28/2020 10:36:07 AM
File: _2020-01-28_

Last save: 1/28/2020 11:03:56 AM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69696

Last save: 1/28/2020 10:33:02 AM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.248	0.31	5.15	8.300	7.04	0.
2	9.02	0.159	0.80	13.37	8.682	7.36	0.
3	10.94	0.200	1.42	23.60	19.089	16.18	0.
4	14.18	0.241	0.76	12.72	12.360	10.48	0.
5	16.46	0.284	0.91	15.15	17.552	14.88	0.
6	22.09	0.402	0.68	11.36	22.007	18.66	0.
7	25.69	0.392	1.12	18.60	29.968	25.41	0.
7	28.00	0.275	6.00	99.94	117.958	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/29/2020 9:36:00 AM
Printed by: wet


Ident: STD4
Analysis from: 1/28/2020 11:07:02 AM
File: _2020-01-28_

Last save: 1/28/2020 11:34:50 AM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69697

Last save: 1/28/2020 11:03:56 AM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.253	0.76	6.16	19.104	7.94	0.
2	9.02	0.159	1.64	13.37	17.278	7.18	0.
3	10.93	0.202	2.76	22.52	37.942	15.77	0.
4	14.15	0.236	1.58	12.91	25.261	10.50	0.
5	16.39	0.279	1.88	15.27	35.850	14.91	0.
6	22.07	0.398	1.34	10.95	42.653	17.73	0.
7	25.69	0.395	2.31	18.80	62.434	25.96	0.
7	28.00	0.275	12.28	99.98	240.522	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/29/2020 9:36:10 AM
Printed by: wet


Ident: STD5
Analysis from: 1/28/2020 11:37:57 AM
File: _2020-01-28_

Last save: 1/28/2020 12:05:46 PM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69698

Last save: 1/28/2020 11:34:50 AM

SAMPLE:
: AK/AP
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.252	1.90	5.93	43.090	7.01	0.
2	9.01	0.156	4.37	13.65	45.810	7.46	0.
3	10.92	0.212	7.15	22.36	103.794	16.89	0.
4	14.22	0.234	4.25	13.30	67.542	10.99	0.
5	16.48	0.280	4.94	15.44	94.693	15.41	0.
6	22.29	0.388	3.18	9.93	96.545	15.71	0.
7	25.91	0.388	6.20	19.38	162.935	26.52	0.
7	28.00	0.273	31.99	99.99	614.409	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/29/2020 9:36:17 AM
Printed by: wet


Ident: STD6
Analysis from: 1/28/2020 12:08:51 PM
File: _2020-01-28_

Last save: 1/28/2020 12:36:40 PM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69699

Last save: 1/28/2020 12:05:46 PM

SAMPLE:
: AK/AP
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.83	0.255	4.00	6.01	88.481	6.97	0.
2	9.02	0.152	9.26	13.91	94.503	7.44	0.
3	10.87	0.226	14.05	21.10	216.650	17.06	0.
4	14.12	0.224	9.07	13.62	136.945	10.78	0.
5	16.28	0.272	10.31	15.49	193.889	15.27	0.
6	22.04	0.379	6.42	9.63	186.957	14.72	0.
7	25.67	0.387	13.48	20.24	352.345	27.75	0.
7	28.00	0.271	66.59	100.00	1269.770	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/29/2020 9:36:23 AM
Printed by: wet


Ident: STD7
Analysis from: 1/28/2020 12:39:46 PM
File: _2020-01-28_

Last save: 1/28/2020 1:07:36 PM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69700

Last save: 1/28/2020 12:36:40 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.83	0.255	5.31	6.28	114.188	7.06	0.
2	9.02	0.155	11.95	14.13	124.164	7.67	0.
3	10.87	0.232	16.88	19.94	267.439	16.52	0.
4	14.12	0.223	11.66	13.78	175.275	10.83	0.
5	16.26	0.272	13.17	15.57	248.789	15.37	0.
6	22.01	0.377	8.21	9.70	234.802	14.51	0.
7	25.62	0.386	17.44	20.61	453.790	28.04	0.
7	28.00	0.271	84.63	100.00	1618.446	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/29/2020 9:36:31 AM
Printed by: wet


Ident: ICV
Analysis from: 1/28/2020 1:10:41 PM
File: _2020-01-28_

Last save: 1/28/2020 1:38:30 PM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69701

Last save: 1/28/2020 1:07:36 PM

SAMPLE:
: AK/AP
Vial number: 9
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.254	1.89	5.95	43.269	7.01	0.
2	9.02	0.155	4.33	13.59	45.097	7.31	0.
3	10.91	0.210	7.04	22.11	101.167	16.40	0.
4	14.13	0.232	4.23	13.28	66.099	10.72	0.
5	16.34	0.276	4.89	15.35	92.744	15.04	0.
6	22.09	0.399	3.13	9.84	97.387	15.79	0.
7	25.79	0.398	6.33	19.88	171.085	27.74	0.
7	28.00	0.275	31.85	100.00	616.848	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 1/29/2020 9:36:39 AM
Printed by: wet


Ident: ICB
Analysis from: 1/28/2020 1:44:20 PM
File: _2020-01-28_

Last save: 1/28/2020 2:12:10 PM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69702

Last save: 1/28/2020 1:07:36 PM

SAMPLE:
: AK/AP
Vial number: 10
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 2/6/2020 1:16:15 PM
Printed by: wet


Ident: CCV
Analysis from: 2/6/2020 8:56:28 AM
File: _2020-02-06_

Last save: 2/6/2020 9:24:18 AM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69827

Last save: 1/28/2020 1:07:36 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.82	0.277	1.70	5.45	43.437	7.30	0.
2	9.09	0.157	4.24	13.64	44.667	7.51	0.
3	11.04	0.208	6.96	22.38	98.603	16.57	0.
4	14.39	0.239	3.92	12.61	63.412	10.66	0.
5	16.69	0.289	4.48	14.41	89.378	15.02	0.
6	21.76	0.379	3.16	10.15	90.761	15.26	0.
7	25.24	0.374	6.65	21.37	164.642	27.68	0.
7	28.00	0.275	31.12	100.00	594.900	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 2/6/2020 1:16:22 PM
Printed by: wet


Ident: CCB
Analysis from: 2/6/2020 9:32:02 AM
File: _2020-02-06_

Last save: 2/6/2020 9:59:52 AM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69828

Last save: 1/28/2020 1:07:36 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 2/6/2020 1:16:31 PM
Printed by: wet


Ident: LB107582BLW
Analysis from: 2/6/2020 10:02:56 AM
File: _2020-02-06_

Last save: 2/6/2020 1:16:10 PM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69829

Last save: 1/28/2020 1:07:36 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 2/6/2020 1:16:37 PM
Printed by: wet


Ident: LB107582BSW
Analysis from: 2/6/2020 10:33:51 AM
File: _2020-02-06_

Last save: 2/6/2020 1:16:10 PM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69830

Last save: 1/28/2020 1:07:36 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.269	1.74	5.45	42.835	7.06	0.
2	9.03	0.155	4.28	13.45	44.435	7.33	0.
3	10.94	0.207	7.06	22.18	99.702	16.44	0.
4	14.23	0.233	4.06	12.75	63.979	10.55	0.
5	16.47	0.282	4.67	14.67	90.118	14.86	0.
6	21.79	0.379	3.28	10.31	94.665	15.61	0.
7	25.29	0.383	6.74	21.19	170.733	28.15	0.
7	28.00	0.273	31.81	100.00	606.467	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 2/6/2020 1:16:50 PM
Printed by: wet


Ident: L1161-09
Analysis from: 2/6/2020 11:44:09 AM
File: _2020-02-06_

Last save: 2/6/2020 12:31:38 PM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69832

Last save: 1/28/2020 1:07:36 PM

SAMPLE:
: AK/AP
Vial number: 30
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.278	0.07	4.16	2.396	7.26	0.
2	9.02	0.163	0.21	13.53	2.855	8.66	0.
3	10.99	0.196	0.36	23.18	4.815	14.60	0.
4	14.30	0.250	0.19	11.92	3.174	9.63	0.
5	16.65	0.294	0.22	14.16	4.492	13.62	0.
6	21.84	0.412	0.18	11.74	6.276	19.03	0.
7	25.31	0.392	0.33	21.08	8.973	27.21	0.
7	28.00	0.284	1.57	99.77	32.980	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 2/6/2020 1:16:56 PM
Printed by: wet


Ident: CCV
Analysis from: 2/6/2020 12:15:03 PM
File: _2020-02-06_

Last save: 2/6/2020 1:15:40 PM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69833

Last save: 1/28/2020 1:07:36 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.80	0.270	1.74	5.50	42.757	7.18	0.
2	9.04	0.154	4.24	13.41	43.773	7.35	0.
3	10.95	0.206	7.00	22.12	98.576	16.55	0.
4	14.22	0.232	4.03	12.74	62.968	10.57	0.
5	16.45	0.280	4.65	14.69	89.154	14.97	0.
6	21.84	0.376	3.30	10.42	94.134	15.81	0.
7	25.34	0.373	6.68	21.11	164.141	27.56	0.
7	28.00	0.270	31.63	99.99	595.503	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 2/6/2020 1:17:03 PM
Printed by: wet


Ident: CCB
Analysis from: 2/6/2020 12:45:58 PM
File: _2020-02-06_

Last save: 2/6/2020 1:13:48 PM

Method: ANIONS 01-28-20.mtw
Run operator: wet
Analysis number: 69834

Last save: 1/28/2020 1:07:36 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD