



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB107698

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1367-01	OK-03-021020	1	100.03	0.00	02/11/2020	09:00
2	L1367-01DUP	OK-03-021020DUP	1	100.03	0.00	02/11/2020	09:10
3	L1372-01	SU-01-021020	1	100.05	0.00	02/11/2020	09:20
4	L1373-01	TR-05-021020	1	100.04	0.00	02/11/2020	09:28
5	L1456-04	ETGI-337-290	1	100.02	0.00	02/11/2020	09:37
6	L1478-01	SOIL-02	1	100.05	0.00	02/11/2020	09:45
7	L1478-02	330	1	100.03	0.00	02/11/2020	09:55
8	L1481-01	72-11931	1	100.03	0.00	02/11/2020	10:05
9	L1481-02	72-11989	1	100.04	0.00	02/11/2020	10:15

WORKLIST(Hardcopy Internal Chain)

LB107698

WorkList Name : pf021120 WorkList ID : 135976 Department : Wet-Chemistry Date : 02-11-2020 11:02:05

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/10/2020	Solid	L1367-01	Paint Filter	Cool 4 deg C	PSEG05	I63	OK-03-021020	02/10/2020	9095B
02/10/2020	Solid	L1372-01	Paint Filter	Cool 4 deg C	PSEG05	I63	SU-01-021020	02/10/2020	9095B
02/10/2020	Solid	L1373-01	Paint Filter	Cool 4 deg C	PSEG05	I63	TR-05-021020	02/10/2020	9095B
02/07/2020	Solid	L1456-04	Paint Filter	Cool 4 deg C	PSEG01	I62	ETGI-337-290	02/07/2020	9095B
02/10/2020	Solid	L1478-01	Paint Filter	Cool 4 deg C	PSEG01	I63	SOIL-02	02/10/2020	9095B
02/10/2020	Solid	L1478-02	Paint Filter	Cool 4 deg C	PSEG01	I63	330	02/10/2020	9095B
02/10/2020	Solid	L1481-01	Paint Filter	Cool 4 deg C	PSEG01	I63	72-11931	02/10/2020	9095B
02/10/2020	Solid	L1481-02	Paint Filter	Cool 4 deg C	PSEG01	I63	72-11989	02/10/2020	9095B

Date/Time 02/11/2020
 Received by: DK
 Relinquished by: KS

Date/Time 02/11/2020
 Received by: KS
 Relinquished by: DK