



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB107796

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1365-09	CL-02-021420	1	100.03	0.00	02/17/2020	09:00
2	L1365-09DUP	CL-02-021420DUP	1	100.05	0.00	02/17/2020	09:10
3	L1544-01	2-5-1	1	100.05	0.00	02/17/2020	09:20
4	L1544-05	2-4-1	1	100.05	0.00	02/17/2020	09:30

WORKLIST(Hardcopy Internal Chain)

LB107796

WorkList Name : pf021720 WorkList ID : 136138 Department : Wet-Chemistry Date : 02-17-2020 08:04:04

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/14/2020	Solid	L1365-09	✓ Paint Filter	Cool 4 deg C	PSEG05		CL-02-021420	02/14/2020	9095B
02/14/2020	Solid	L1544-01	✓ Paint Filter	Cool 4 deg C	PSEG01	I63	2-5-1	02/14/2020	9095B
02/14/2020	Solid	L1544-05	✓ Paint Filter	Cool 4 deg C	PSEG01	I63	2-4-1	02/14/2020	9095B

Date/Time 02/17/2020
 Received by: DK
 Relinquished by: KS

Date/Time 02/17/2020
 Received by: KS
 Relinquished by: DK