



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB107852

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1600-03	TP-B-S	1	100.03	0.00	02/20/2020	08:20
2	L1600-03DUP	TP-B-SDUP	1	100.05	0.00	02/20/2020	08:30
3	L1600-07	TP-B-D	1	100.01	0.00	02/20/2020	08:40

WORKLIST(Hardcopy Internal Chain)

LR107-852

WorkList Name : pf022020

WorkList ID : 136268

Department : Wet-Chemistry

Date : 02-20-2020 08:06:46

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/19/2020	Solid	L1600-03	Paint Filter	Cool 4 deg C	PSEG01	I31	TP-B-S	02/19/2020	9095B
02/19/2020	Solid	L1600-07	Paint Filter	Cool 4 deg C	PSEG01	I31	TP-B-D	02/19/2020	9095B

Date/Time 02/20/2020 8:15
 Received by: DL
 Relinquished by: AM

Date/Time 02/20/2020 8:55
 Received by: AM
 Relinquished by: DL