

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB107904

ANALYST: Alexander
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP81413
IODINE SOLUTION .025N 1L	W2508
Starch Solution, 4L	W2379

Seq	Lab ID	True Value (mg/l)	DF	Initial Volume (mL)	Final Volume (mL)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB126989BL		1	50	50	2.00	0.00	1.90	1.90	0.10	0.00	0.00	02/21/2020	13:18
2	L1603-02		1	50	50	2.00	1.90	3.68	1.78	0.22	0.12	0.96	02/21/2020	13:20
3	L1603-02DUP		1	50	50	2.00	3.68	5.44	1.76	0.24	0.14	1.12	02/21/2020	13:22
4	L1618-03		1	50	50	2.00	5.44	7.18	1.74	0.26	0.16	1.28	02/21/2020	13:24

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume