



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB107930

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1367-05	OK-02-022420	1	100.05	0.00	02/24/2020	13:30
2	L1367-05DUP	OK-02-022420DUP	1	100.02	0.00	02/24/2020	13:38
3	L1593-01	STOCKPILE	1	100.03	0.00	02/24/2020	13:45
4	L1606-02	361	1	100.05	0.00	02/24/2020	13:52
5	L1631-03	TP-C-S	1	100.01	0.00	02/24/2020	13:58
6	L1631-07	TP-D-S	1	100.05	0.00	02/24/2020	14:05
7	L1631-11	TP-D-D	1	100.03	0.00	02/24/2020	14:15
8	L1657-03	TP-F-S	1	100.04	0.00	02/24/2020	14:25
9	L1657-07	TP-F-D	1	100.05	0.00	02/24/2020	14:35

WORKLIST(Hardcopy Internal Chain)

LB 107930

Worklist Name : p1022420

Worklist ID : 136424

Department : Wet-Chemistry

Date : 02-24-2020 13:18:43

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/24/2020	Solid	L1367-05 ✓	Paint Filter	Cool 4 deg C	PSEG05		OK-02-022420	02/24/2020	9095B
02/19/2020	Solid	L1593-01 ✓	Paint Filter	Cool 4 deg C	TULL01	M31	STOCKPILE	02/19/2020	9095B
02/20/2020	Solid	L1606-02 ✓	Paint Filter	Cool 4 deg C	PSEG01	I31	361	02/20/2020	9095B
02/20/2020	Solid	L1631-03 ✓	Paint Filter	Cool 4 deg C	PSEG01	I31	TP-C-S	02/20/2020	9095B
02/20/2020	Solid	L1631-07 ✓	Paint Filter	Cool 4 deg C	PSEG01	I31	TP-D-S	02/20/2020	9095B
02/20/2020	Solid	L1631-11 ✓	Paint Filter	Cool 4 deg C	PSEG01	I31	TP-D-D	02/20/2020	9095B
02/21/2020	Solid	L1657-03 ✓	Paint Filter	Cool 4 deg C	PSEG01	I32	TP-F-S	02/21/2020	9095B
02/21/2020	Solid	L1657-07 ✓	Paint Filter	Cool 4 deg C	PSEG01	I32	TP-F-D	02/21/2020	9095B

Date/Time 02/24/2020 13:25
 Received by: JK
 Relinquished by: KS

Date/Time 02/24/2020 14:40
 Received by: KS
 Relinquished by: JK