



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB108012

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1373-04	TR-06-022720	1	100.03	0.00	02/28/2020	08:46
2	L1373-04DUP	TR-06-022720DUP	1	100.05	0.00	02/28/2020	08:52
3	L1718-01	72-11976	1	100.04	0.00	02/28/2020	09:00
4	L1718-04	72-11986	1	100.05	0.00	02/28/2020	09:10
5	L1718-07	VNJ-232	1	100.03	0.00	02/28/2020	09:20
6	L1718-10	O6	1	100.02	0.00	02/28/2020	09:30
7	L1719-01	MP-1-COMP	1	100.04	0.00	02/28/2020	09:40

WORKLIST(Hardcopy Internal Chain)

LB 108 012

WorkList Name : pf022820

WorkList ID : 136553

Department : Wet-Chemistry

Date : 02-28-2020 08:32:55

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/27/2020	Solid	L1373-04	Paint Filter	Cool 4 deg C	PSEG05		TR-06-022720	02/27/2020	9095B
02/27/2020	Solid	L1718-01	Paint Filter	Cool 4 deg C	PSEG01	O41	72-11976	02/27/2020	9095B
02/27/2020	Solid	L1718-04	Paint Filter	Cool 4 deg C	PSEG01	O41	72-11986	02/27/2020	9095B
02/27/2020	Solid	L1718-07	Paint Filter	Cool 4 deg C	PSEG01	O41	VNJ-232	02/27/2020	9095B
02/27/2020	Solid	L1718-10	Paint Filter	Cool 4 deg C	PSEG01	O41	O6	02/27/2020	9095B
02/26/2020	Solid	L1719-01	Paint Filter	Cool 4 deg C	PSEG01	O42	MP-1-COMP	02/26/2020	9095B

Date/Time 02/28/2020 8:40
 Received by: OK
 Relinquished by: KS

Date/Time 02/28/2020 09:45
 Received by: KS
 Relinquished by: OK