



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/5/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 03/04/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:50
Out Date: 03/05/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB108085

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L1344-15	TEST	1	1.00	2.00	2.00	100.0	
L1761-01	SU-04-030420	41	1.15	9.75	9.01	91.4	
L1761-02	SU-04-030420	42	1.18	9.72	9.38	96.0	
L1761-03	SU-04-030420-1	43	1.18	9.64	9.04	92.9	
L1761-04	SU-04-030420-2	44	1.13	9.83	9.16	92.3	
L1776-01	PG-1	2	1.15	9.83	7.96	78.5	
L1776-02	PG-2	3	1.15	9.72	7.00	68.3	
L1778-01	S1	4	1.12	9.74	8.4	84.5	
L1778-02	S1	5	1.14	9.79	8.38	83.7	
L1778-03	S2	6	1.18	9.59	8.21	83.6	
L1778-04	S2	7	1.2	9.78	8.24	82.1	
L1778-05	DN1	8	1.13	9.68	8.49	86.1	
L1778-06	DN1	9	1.13	9.88	8.38	82.9	
L1778-07	DN2	10	1.15	9.64	8.4	85.4	
L1778-08	DN2	11	1.18	9.66	8.34	84.4	
L1778-09	S3	12	1.18	9.92	9.03	89.8	
L1778-10	S3	13	1.15	9.95	9.13	90.7	
L1778-11	S4	14	1.11	9.6	8.52	87.3	
L1778-12	S4	15	1.13	9.81	8.71	87.3	
L1778-13	S5	16	1.17	9.89	8.77	87.2	
L1778-14	S5	17	1.12	9.75	8.87	89.8	
L1778-15	S7	18	1.16	9.96	8.88	87.7	
L1778-16	S7	19	1.17	9.93	8.79	87.0	
L1778-17	S6	20	1.13	9.54	7.94	81.0	
L1778-18	S6	21	1.17	9.51	8.05	82.5	
L1778-19	S11	22	1.18	9.96	8.97	88.7	
L1778-20	S11	23	1.1	9.87	9.22	92.6	
L1778-21	S10	24	1.15	9.64	8.81	90.2	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/5/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 03/04/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:50
Out Date: 03/05/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB108085

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L1778-22	S10	25	1.16	9.91	9.08	90.5	
L1778-23	S9	26	1.18	9.97	8.99	88.9	
L1778-24	S9	27	1.17	9.97	9.14	90.6	
L1778-25	S8	28	1.14	9.94	9.36	93.4	
L1778-26	S8	29	1.12	9.94	9.35	93.3	
L1783-01	GP-10-030220	30	1.16	9.97	8.03	78.0	
L1783-02	GP-11-030220	31	1.13	9.93	7.66	74.2	
L1785-01	07-A-07-B-07-C	32	1.00	2.00	2.00	100.0	CAULKING SAMPLE
L1785-02	08-A-08-B-08-C	33	1.00	2.00	2.00	100.0	CAULKING SAMPLE
L1785-03	09-A-09-B-09-C	34	1.00	2.00	2.00	100.0	CAULKING SAMPLE
L1791-01	03-04-A	35	1.00	2.00	2.00	100.0	PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS
L1791-02	03-04-B	36	1.00	2.00	2.00	100.0	PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS
L1791-03	03-04-C	37	1.00	2.00	2.00	100.0	PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS
L1791-04	03-04-D	38	1.00	2.00	2.00	100.0	PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS
L1792-01	TP-3	45	1.15	9.77	9.21	93.5	
L1792-02	TP-3	46	1.15	9.77	9.21	93.5	
L1792-03	TP-4	47	1.15	9.55	8.68	89.6	
L1792-04	TP-4	48	1.15	9.55	8.68	89.6	
L1792-05	TP-5	49	1.18	9.83	8.82	88.3	
L1792-06	TP-5	50	1.18	9.83	8.82	88.3	
L1792-07	TP-2	51	1.1	9.81	9.25	93.6	
L1792-08	TP-2	52	1.1	9.81	9.25	93.6	
L1792-09	TP-1	53	1.16	9.97	9.23	91.6	
L1792-10	TP-1	54	1.16	9.97	9.23	91.6	
L1797-01	6-FEET	39	1.16	9.8	8.85	89.0	
L1797-02	30-FEET	40	1.17	9.56	8.9	92.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$