



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB108087

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1721-01	STOCKPILE-GRIT	1	100.05	0.00	03/04/2020	08:30
2	L1721-01DUP	STOCKPILE-GRITDUP	1	100.07	0.00	03/04/2020	08:38
3	L1748-01	AU-06-030320	1	100.05	0.00	03/04/2020	08:45
4	L1759-01	OR-02-030320	1	100.03	0.00	03/04/2020	08:55
5	L1774-02	VNJ-223	1	100.04	0.00	03/04/2020	09:03
6	L1774-04	VNJ-236	1	100.06	0.00	03/04/2020	09:10
7	L1775-01	CR-1	1	100.05	0.00	03/04/2020	09:20
8	L1775-07	CR-2	1	100.04	0.00	03/04/2020	09:30
9	L1775-13	CR-3	1	100.06	0.00	03/04/2020	09:40

WORKLIST(Hardcopy Internal Chain)

LB108087

WorkList Name : pf030420 WorkList ID : 136688 Department : Wet-Chemistry Date : 03-04-2020 08:18:42

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/27/2020	Solid	L1721-01	✓ Paint Filter	Cool 4 deg C	TULL01	O31	STOCKPILE-GRIT	02/27/2020	9095B
03/03/2020	Solid	L1748-01	✓ Paint Filter	Cool 4 deg C	PSEG05	O32	AU-06-030320	03/03/2020	9095B
03/03/2020	Solid	L1759-01	✓ Paint Filter	Cool 4 deg C	PSEG05	O31	OR-02-030320	03/03/2020	9095B
03/03/2020	Solid	L1774-02	✓ Paint Filter	Cool 4 deg C	PSEG01	O42	VNJ-223	03/03/2020	9095B
03/03/2020	Solid	L1774-04	✓ Paint Filter	Cool 4 deg C	PSEG01	O42	VNJ-236	03/03/2020	9095B
03/02/2020	Solid	L1775-01	✓ Paint Filter	Cool 4 deg C	PSEG01	O43	CR-1	03/02/2020	9095B
03/02/2020	Solid	L1775-07	✓ Paint Filter	Cool 4 deg C	PSEG01	O43	CR-2	03/02/2020	9095B
03/02/2020	Solid	L1775-13	✓ Paint Filter	Cool 4 deg C	PSEG01	O43	CR-3	03/02/2020	9095B

Date/Time 03/04/2020 8:23
 Received by: DK
 Relinquished by: KS

Date/Time 03/04/2020 09:45
 Received by: KS
 Relinquished by: DK