



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB108127

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	L1761-01	SU-04-030420	1	100.02	0.00	03/05/2020	09:42
2	L1761-01DUP	SU-04-030420DUP	1	100.03	0.00	03/05/2020	09:50
3	L1792-01	TP-3	1	100.02	0.00	03/05/2020	09:58
4	L1792-03	TP-4	1	100.05	0.00	03/05/2020	10:10
5	L1792-05	TP-5	1	100.07	0.00	03/05/2020	10:18
6	L1792-07	TP-2	1	100.09	0.00	03/05/2020	10:25
7	L1792-09	TP-1	1	100.07	0.00	03/05/2020	10:35

WORKLIST(Hardcopy Internal Chain)

LB108127

WorkList Name : pf030420-1 WorkList ID : 136712 Department : Wet-Chemistry Date : 03-04-2020 18:12:56

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/04/2020	Solid	L1761-01	Paint Filter	Cool 4 deg C	PSEG05	I41	SU-04-030420	03/04/2020	9095B
03/04/2020	Solid	L1792-01	Paint Filter	Cool 4 deg C	PSEG01	I41	TP-3	03/04/2020	9095B
03/04/2020	Solid	L1792-03	Paint Filter	Cool 4 deg C	PSEG01	I41	TP-4	03/04/2020	9095B
03/04/2020	Solid	L1792-05	Paint Filter	Cool 4 deg C	PSEG01	I41	TP-5	03/04/2020	9095B
03/04/2020	Solid	L1792-07	Paint Filter	Cool 4 deg C	PSEG01	I41	TP-2	03/04/2020	9095B
03/04/2020	Solid	L1792-09	Paint Filter	Cool 4 deg C	PSEG01	I41	TP-1	03/04/2020	9095B

Date/Time 03/05/20 09:30
 Received by: KS
 Relinquished by: J1

Date/Time 03/05/20 10:40
 Received by: J2
 Relinquished by: KS