CHEMTECH

PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/9/2020

OVENTEMP IN Celsius(°C): 108
Time IN: 17:57
In Date: 03/06/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 03/07/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC: LB108165

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
L1824-01	INDIAN-ISLAND-(1)	1	1.15	9.96	8.91	88.1	
L1824-02	INDIAN-ISLAND-(2)	2	1.17	9.57	8.31	85.0	
L1824-03	INDIAN-ISLAND-(3)	3	1.16	9.91	8.83	87.7	
L1824-04	INDIAN-ISLAND-(4)	4	1.17	9.83	8.98	90.2	
L1824-05	INDIAN-ISLAND-(5)	5	1.16	9.77	8.83	89.1	
L1824-06	INDIAN-ISLAND-(6)	6	1.15	9.58	8.73	89.9	
L1824-07	INDIAN-ISLAND-(7)	7	1.16	9.69	8.95	91.3	
L1824-08	INDIAN-ISLAND-(8)	8	1.15	9.79	8.69	87.3	
L1824-09	INDIAN-ISLAND-(9)	9	1.16	9.86	8.86	88.5	
L1824-10	INDIAN-ISLAND-(10)	10	1.16	9.86	8.94	89.4	
L1824-11	INDIAN-ISLAND-(11)	11	1.16	9.57	8.7	89.7	
L1824-12	INDIAN-ISLAND-(12)	12	1.15	9.99	9.11	90.0	
L1828-05	SVOC-GPC-BLANK	13	1.00	2.00	2.00	100.0	
L1828-06	PEST-GPC-BLANK	14	1.00	2.00	2.00	100.0	
L1828-07	PEST-GPC-BLANK-SPIKE	15	1.00	2.00	2.00	100.0	
L1828-08	PCB-GPC-BLANK	16	1.00	2.00	2.00	100.0	
L1828-09	PCB-GPC-BLANK-SPIKE	17	1.00	2.00	2.00	100.0	
L1828-10	SVOC-GPC2-BLANK	18	1.00	2.00	2.00	100.0	
L1828-11	PEST-GPC2-BLANK	19	1.00	2.00	2.00	100.0	
L1828-12	PEST-GPC2-BLANK-SPIKE	20	1.00	2.00	2.00	100.0	
L1828-13	PCB-GPC2-BLANK	21	1.00	2.00	2.00	100.0	
L1828-14	PCB-GPC2-BLANK-SPIKE	22	1.00	2.00	2.00	100.0	
L1832-01	VNJ-235	23	1.00	2.00	2.00	100.0	OILY DEBRIS 100% SOLIDS
L1832-03	32239-32242-32243	24	1.14	9.97	9.57	95.5	
L1832-05	32235-38	25	1.15	9.72	9.56	98.1	
L1832-07	32240-41-32244-32245	26	1.14	9.61	9.57	99.5	
L1832-09	32262-65	27	1.15	9.69	9.64	99.4	
L1836-01	VNJ-212-VNJ-221	28	1.12	9.69	8.77	89.3	

CHEMTECH

PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/9/2020

OVENTEMP IN Celsius(°C): 108
Time IN: 17:57
In Date: 03/06/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 03/07/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC: LB108165

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
L1836-02	VNJ-212-VNJ-221	29	1.12	9.69	8.77	89.3	
L1836-03	VNJ-212	30	1.12	9.69	8.77	89.3	
L1836-04	VNJ-221	31	1.12	9.69	8.77	89.3	
L1837-01	FK-PS-01-065	32	1.17	9.91	8.36	82.3	
L1837-02	FK-PS-01-065	33	1.16	9.73	7.96	79.3	
L1841-01	NORTH-A	34	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-02	NORTH-B	35	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-03	EAST-A	36	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-04	EAST-B	37	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-05	EAST-C	38	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-06	SOUTH-A	39	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-07	SOUTH-B	40	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-08	WEST-A	41	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-09	WEST-B	42	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-10	3-WEST-A	43	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-11	3-WEST-B	44	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-12	3-SOUTH-A	45	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-13	3-NORTH-A	46	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-14	3-NORTH-B	47	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-15	E-ROOF-A	48	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-17	E-ROOF-B	49	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-19	S-ROOF-A	50	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-21	S-ROOF-B	51	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-23	W-ROOF-A	52	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-25	W-ROOF-B	53	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-27	N-ROOF-A	54	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-29	N-ROOF-B	55	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-31	EXT-NORTH	56	1.00	2.00	2.00	100.0	CAULK SAMPLE

CHEMTECH

PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 3/9/2020

OVENTEMP IN Celsius(°C): 108
Time IN: 17:57
In Date: 03/06/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 03/07/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC: LB108165

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
L1841-32	EXT-EAST	57	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-33	EXT-SOUTH	58	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-34	EXT-WEST	59	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-35	ROOF-FLOOR	60	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-37	WALL-FLASHING-A	61	1.00	2.00	2.00	100.0	CAULK SAMPLE
L1841-39	WALL-FLASHING-B	62	1.00	2.00	2.00	100.0	CAULK SAMPLE

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

VB 108/65

WorkList Name : %1-030620 **WorkList ID :** 136765 **Department :** Wet-Chemistry **Date :** 03-06-2020 07:58:00

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/16/2020	Solid	L1824-01	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(1)	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1824-02	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(2)	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1824-03	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(3)	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1824-04	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(4)	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1824-05	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(5)	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1824-06	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(6)	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1824-07	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(7)	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1824-08	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(8)	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1824-09	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(9)	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1824-10	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(10)	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1824-11	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(11)	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1824-12	Percent Solids	Cool 4 deg C	UNIO02	O61	INDIAN-ISLAND-(12)	03/06/2020	Chemtech -SO
03/09/2020	Solid	L1828-05	Percent Solids	Cool 4 deg C	CHEM02	O41	SVOC-GPC-BLANK	02/28/2020	Chemtech -SO
03/09/2020	Solid	L1828-06	Percent Solids	Cool 4 deg C	CHEM02	O41	PEST-GPC-BLANK	02/28/2020	Chemtech -SO
03/09/2020	Solid	L1828-07	Percent Solids	Cool 4 deg C	CHEM02	O41	PEST-GPC-BLANK-SPIKE	02/28/2020	Chemtech -SO
03/09/2020	Solid	L1828-08	Percent Solids	Cool 4 deg C	CHEM02	O41	PCB-GPC-BLANK	02/28/2020	Chemtech -SO
03/09/2020	Solid	L1828-09	Percent Solids	Cool 4 deg C	CHEM02	O41	PCB-GPC-BLANK-SPIKE	02/28/2020	Chemtech -SO
03/09/2020	Solid	L1828-10	Percent Solids	Cool 4 deg C	CHEM02	O41	SVOC-GPC2-BLANK	02/28/2020	Chemtech -SO
03/09/2020	Solid	L1828-11	Percent Solids	Cool 4 deg C	CHEM02	O41	PEST-GPC2-BLANK	02/28/2020	Chemtech -SO
03/09/2020	Solid	L1828-12	Percent Solids	Cool 4 deg C	CHEM02	O41	PEST-GPC2-BLANK-SPIKE	02/28/2020	Chemtech -SO
03/09/2020	Solid	L1828-13	Percent Solids	Cool 4 deg C	CHEM02	O41	PCB-GPC2-BLANK	02/28/2020	Chemtech -SO
03/09/2020	Solid	L1828-14	Percent Solids	Cool 4 deg C	CHEM02	O41	PCB-GPC2-BLANK-SPIKE	02/28/2020	Chemtech -SO

Date/Time 03.06.2020 16:00

Received by: JO

Relinquished by: JD

Date/Time 03.06.2020 17:35

Received by:

Relinquished by: JO

JB 108165

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-030620 **WorkList ID :** 136765 **Department :** Wet-Chemistry **Date :** 03-06-2020 07:58:00

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/13/2020	Solid	L1832-01	Percent Solids	Cool 4 deg C	PSEG01	I51	VNJ-235	03/06/2020	Chemtech -SO
03/13/2020	Solid	L1832-03	Percent Solids	Cool 4 deg C	PSEG01	I51	32239-32242-32243	03/06/2020	Chemtech -SO
03/13/2020	Solid	L1832-05	Percent Solids	Cool 4 deg C	PSEG01	I51	32235-38	03/06/2020	Chemtech -SO
03/13/2020	Solid	L1832-07	Percent Solids	Cool 4 deg C	PSEG01	I51	32240-41-32244-32245	03/06/2020	Chemtech -SO
03/13/2020	Solid	L1832-09	Percent Solids	Cool 4 deg C	PSEG01	I51	32262-65	03/06/2020	Chemtech -SO
03/13/2020	Solid	L1836-01	Percent Solids	Cool 4 deg C	PSEG01	I51	VNJ-212-VNJ-221	03/06/2020	Chemtech -SO
03/13/2020	Solid	L1836-02	Percent Solids	Cool 4 deg C	PSEG01	I51	VNJ-212-VNJ-221	03/06/2020	Chemtech -SO
03/13/2020	Solid	L1836-03	Percent Solids	Cool 4 deg C	PSEG01	I51	VNJ-212	03/06/2020	Chemtech -SO
03/13/2020	Solid	L1836-04	Percent Solids	Cool 4 deg C	PSEG01	I51	VNJ-221	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1837-01	Percent Solids	Cool 4 deg C	TULL02	O61	FK-PS-01-065	03/06/2020	Chemtech -SO
03/16/2020	Solid	L1837-02	Percent Solids	Cool 4 deg C	TULL02	O61	FK-PS-01-065	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-01	Percent Solids	Cool 4 deg C	PSEG01	I51	NORTH-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-02	Percent Solids	Cool 4 deg C	PSEG01	I51	NORTH-B	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-03	Percent Solids	Cool 4 deg C	PSEG01	I51	EAST-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-04	Percent Solids	Cool 4 deg C	PSEG01	I51	EAST-B	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-05	Percent Solids	Cool 4 deg C	PSEG01	I51	EAST-C	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-06	Percent Solids	Cool 4 deg C	PSEG01	I51	SOUTH-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-07	Percent Solids	Cool 4 deg C	PSEG01	I51	SOUTH-B	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-08	Percent Solids	Cool 4 deg C	PSEG01	I51	WEST-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-09	Percent Solids	Cool 4 deg C	PSEG01	I51	WEST-B	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-10	Percent Solids	Cool 4 deg C	PSEG01	I51	3-WEST-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-11	Percent Solids	Cool 4 deg C	PSEG01	I51	3-WEST-B	03/06/2020	Chemtech -SO

Date/Time 03.06.2020 16.00

Received by: JO

Relinquished by: JO

Date/Time 03.07.2020 1435

Received by: JO

Relinquished by: JO

YB108165

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-030620 **WorkList ID :** 136765 **Department :** Wet-Chemistry **Date :** 03-06-2020 07:58:00

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/10/2020	Solid	L1841-12	Percent Solids	Cool 4 deg C	PSEG01	I51	3-SOUTH-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-13	Percent Solids	Cool 4 deg C	PSEG01	I51	3-NORTH-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-14	Percent Solids	Cool 4 deg C	PSEG01	I51	3-NORTH-B	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-15	Percent Solids	Cool 4 deg C	PSEG01	I51	E-ROOF-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-17	Percent Solids	Cool 4 deg C	PSEG01	I51	E-ROOF-B	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-19	Percent Solids	Cool 4 deg C	PSEG01	I51	S-ROOF-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-21	Percent Solids	Cool 4 deg C	PSEG01	I51	S-ROOF-B	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-23	Percent Solids	Cool 4 deg C	PSEG01	I51	W-ROOF-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-25	Percent Solids	Cool 4 deg C	PSEG01	I51	W-ROOF-B	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-27	Percent Solids	Cool 4 deg C	PSEG01	I51	N-ROOF-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-29	Percent Solids	Cool 4 deg C	PSEG01	I51	N-ROOF-B	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-31	Percent Solids	Cool 4 deg C	PSEG01	I51	EXT-NORTH	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-32	Percent Solids	Cool 4 deg C	PSEG01	I51	EXT-EAST	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-33	Percent Solids	Cool 4 deg C	PSEG01	I51	EXT-SOUTH	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-34	Percent Solids	Cool 4 deg C	PSEG01	I51	EXT-WEST	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-35	Percent Solids	Cool 4 deg C	PSEG01	I51	ROOF-FLOOR	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-37	Percent Solids	Cool 4 deg C	PSEG01	I51	WALL-FLASHING-A	03/06/2020	Chemtech -SO
03/10/2020	Solid	L1841-39	Percent Solids	Cool 4 deg C	PSEG01	I51	WALL-FLASHING-B	03/06/2020	Chemtech -SO

Date/Time 03.06.2020 16:00
Received by: JD
Relinquished by: JD

Date/Time 03.06.2020 17:35
Received by: JD
Relinquished by: JD