



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB108359

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1954-02	TP-10A	1	100.02	0.00	03/19/2020	10:00
2	L1954-02DUP	TP-10ADUP	1	100.05	0.00	03/19/2020	10:10
3	L1954-06	TP-11A	1	100.02	0.00	03/19/2020	10:18

WORKLIST(Hardcopy Internal Chain)

LB 108359

WorkList Name : pf31820 WorkList ID : 137149 Department : Wet-Chemistry Date : 03-18-2020 09:17:01

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/16/2020	Solid	L1954-02	Paint Filter	Cool 4 deg C	PSEG01	I52	TP-10A	03/16/2020	9095B
03/16/2020	Solid	L1954-06	Paint Filter	Cool 4 deg C	PSEG01	I52	TP-11A	03/16/2020	9095B

Date/Time 03/19/2020 9:40
 Received by: DK
 Relinquished by: KS

Date/Time 03/19/2020 10:23
 Received by: KS
 Relinquished by: DK