



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Alexander

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB108482

Reagent/Standard	Lot/Log #
COD ICV-LCS std, 50ppm	WP82541
COD calibration std. 100 ppm	WP82538
COD calibration std. 10 ppm	WP82536
COD calibration std. 150 ppm	WP82539
COD calibration std. 50 ppm	WP82537
COD calibration std. 0 ppm	WP82535
COD Digestion Vials Low Level 0-150Mg/L	W2623
COD ICV-LCS std, 50ppm	WP83149
COD Digestion Vials Low Level 0-150Mg/L	W2678
COD ICV-LCS std, 50ppm	WP83149
COD CCV std, 50ppm	WP83148

Temp In(C): 149	Date In: 03/27/2020	Time In: 10:20
Temp Out(C): 149	Date Out: 03/27/2020	Time Out: 12:20

Intercept: 0.4773

Slope: 1.0246

Regression: 1

Seq	Lab ID	TrueValue (mg/l)	DF	MATRIX	Reading	Anal Date	Anal Time
1	CAL1	0	1	Water	0.000	02/28/2020	16:40
2	CAL2	10	1	Water	11.000	02/28/2020	16:41
3	CAL3	50	1	Water	52.000	02/28/2020	16:41
4	CAL4	100	1	Water	103.000	02/28/2020	16:41
5	CAL5	150	1	Water	154.000	02/28/2020	16:42



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Alexander

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB108482

Seq	Lab ID	True Value (mg/l)	Initial Weight (g)	Final Vol (ml)	DF	MATRIX	Reading	Result	AnalDate	AnalTime
1	ICV	50			1	Water	50.000	48.334	02/28/2020	16:42
2	ICB				1	Water	0.000	-0.466	03/27/2020	16:43
3	CCV1	50			1	Water	52.000	50.286	03/27/2020	13:55
4	CCB1				1	Water	0.000	-0.466	03/27/2020	13:55
5	LB108482BL				1	Water	0.000	-0.466	03/27/2020	13:56
6	LB108482BS	50			1	Water	51.000	49.310	03/27/2020	13:56
7	L2053-09				1	Water	42.000	40.526	03/27/2020	13:57
8	L2053-09DUP				1	Water	40.000	38.574	03/27/2020	13:57
9	L2053-09MS	50			1	Water	85.000	82.493	03/27/2020	13:58
10	L2053-09MSD	50			1	Water	86.000	83.469	03/27/2020	13:58
11	CCV2	50			1	Water	52.000	50.286	03/27/2020	13:59
12	CCB2				1	Water	0.000	-0.466	03/27/2020	13:59

LB108482

WORKLIST(Hardcopy Internal Chain)

WorkList Name : COD-3272020 WorkList ID : 137410 Department : Wet-Chemistry Date : 03-27-2020 09:14:50

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/02/2020	Water	L2053-09	COD	Conc H2SO4 1c	PSEG01	F52	GWTP-15	03/26/2020	SM5220 D

Date/Time 3/27/2020 9:55
 Received by: AM
 Relinquished by: JS

Date/Time 3/27/2020 10:30
 Received by: JS
 Relinquished by: AM