



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB108532

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L1752-05	HD-02-033020	1	100.03	0.00	04/01/2020	10:30
2	L1752-05DUP	HD-02-033020DUP	1	100.04	0.00	04/01/2020	10:38
3	L1758-01	PL-03-033020	1	100.05	0.00	04/01/2020	10:45
4	L1759-16	OR-03-033020	1	100.02	0.00	04/01/2020	10:52
5	L2096-01	RO-1-2-TP	1	100.03	0.00	04/01/2020	11:00

WORKLIST(Hardcopy Internal Chain)

LB108532

WorkList Name : pf040120

WorkList ID : 137513

Department : Wet-Chemistry

Date : 04-01-2020 10:14:09

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
03/30/2020	Solid	L1752-05	Paint Filter	Cool 4 deg C	PSEG05		HD-02-033020	03/30/2020	9095B
03/30/2020	Solid	L1758-01	Paint Filter	Cool 4 deg C	PSEG05	F51	PL-03-033020	03/30/2020	9095B
03/30/2020	Solid	L1759-16	Paint Filter	Cool 4 deg C	PSEG05		OR-03-033020	03/30/2020	9095B
03/31/2020	Solid	L2096-01	Paint Filter	Cool 4 deg C	PSEG01	G11	RO-1-2-TP	03/31/2020	9095B

Date/Time 04/01/2020 10:20
 Received by: DK
 Relinquished by: SP

Date/Time 04/01/2020 11:10
 Received by: SP
 Relinquished by: DK