



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 4/3/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 04/02/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 04/03/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB108551

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L2112-01	HR-06-040220	69	1.12	9.58	9.1	94.3	
L2112-02	HR-06-040220	70	1.17	9.58	9.16	95.0	
L2112-03	HR-06-040220-1	71	1.17	9.81	9.56	97.1	
L2112-04	HR-06-040220-2	72	1.14	9.76	8.8	88.9	
L2112-05	HR-06-040220-3	73	1.16	9.62	8.9	91.5	
L2117-01	OK-03-040220	74	1.18	9.65	9.06	93.0	
L2117-02	OK-03-040220	75	1.17	9.92	9.41	94.2	
L2117-03	OK-03-040220-1	76	1.16	9.95	9.57	95.7	
L2117-04	OK-03-040220-2	77	1.11	9.66	9.00	92.3	
L2129-01	TP-9	1	1.14	9.65	8.44	85.8	
L2129-02	TP-9-A	2	1.13	9.9	8.65	85.7	
L2129-03	TP-9-B	3	1.14	9.95	8.98	89.0	
L2129-06	TP-8	4	1.18	9.92	8.69	85.9	
L2129-07	TP-8-A	5	1.18	9.83	8.77	87.7	
L2129-08	TP-8-B	6	1.12	9.54	8.42	86.7	
L2129-11	TP-7	7	1.13	9.72	8.4	84.6	
L2129-12	TP-7-A	8	1.18	9.9	8.47	83.6	
L2129-13	TP-7-B	9	1.13	9.52	8.39	86.5	
L2129-16	TP-4	10	1.16	9.6	8.47	86.6	
L2129-17	TP-4-A	11	1.18	9.97	8.97	88.6	
L2129-18	TP-4-B	12	1.18	9.59	8.35	85.3	
L2129-21	TP-1	13	1.14	9.65	8.65	88.2	
L2129-22	TP-1-A	14	1.17	9.67	8.69	88.5	
L2129-23	TP-1-B	15	1.14	9.66	8.61	87.7	
L2129-26	TP-2	16	1.18	9.78	8.41	84.1	
L2129-27	TP-2-A	17	1.13	9.55	7.96	81.1	
L2129-28	TP-2-B	18	1.14	9.95	8.92	88.3	
L2129-31	TP-5	19	1.18	9.6	8.51	87.1	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 4/3/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 04/02/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 04/03/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB108551

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L2129-32	TP-5-A	20	1.15	9.77	8.5	85.3	
L2129-33	TP-5-B	21	1.1	9.54	8.48	87.4	
L2129-36	TP-6	22	1.13	9.93	8.66	85.6	
L2129-37	TP-6-A	23	1.14	9.77	8.54	85.7	
L2129-38	TP-6-B	24	1.18	9.75	8.57	86.2	
L2129-41	TP-3	25	1.14	9.94	8.55	84.2	
L2129-42	TP-3-A	26	1.18	9.66	8.22	83.0	
L2129-43	TP-3-B	27	1.19	9.52	8.48	87.5	
L2132-01	T-1	28	1.00	2.00	2.00	100.0	STONE SAMPLE 100% SOLIDS
L2132-02	T-1-A	29	1.00	2.00	2.00	100.0	STONE SAMPLE 100% SOLIDS
L2132-05	T-1-B	30	1.00	2.00	2.00	100.0	STONE SAMPLE 100% SOLIDS
L2132-06	T-2	31	1.00	2.00	2.00	100.0	STONE SAMPLE 100% SOLIDS
L2132-07	T-2-A	32	1.00	2.00	2.00	100.0	STONE SAMPLE 100% SOLIDS
L2132-10	T-2-B	33	1.00	2.00	2.00	100.0	STONE SAMPLE 100% SOLIDS
L2132-11	CLEAN-GRAVEL	34	1.00	2.00	2.00	100.0	STONE SAMPLE 100% SOLIDS
L2132-12	CLEAN-GRAVEL-A	35	1.00	2.00	2.00	100.0	STONE SAMPLE 100% SOLIDS
L2132-15	CLEAN-GRAVEL-B	36	1.00	2.00	2.00	100.0	STONE SAMPLE 100% SOLIDS
L2133-01	BIG-HOUSE-FLOORS	37	1.00	2.00	2.00	100.0	CONCRETE SAMPLE 100% SOLIDS
L2133-02	BIG-HOUSE-WALLS	38	1.00	2.00	2.00	100.0	CONCRETE SAMPLE 100% SOLIDS
L2133-03	SMALL-HOUSE-FLOORS	39	1.00	2.00	2.00	100.0	CONCRETE SAMPLE 100% SOLIDS
L2133-04	SMALL-HOUSE-WALLS	40	1.00	2.00	2.00	100.0	CONCRETE SAMPLE 100% SOLIDS
L2135-01	SB-1H- (0-2)	41	1.15	9.96	8.37	82.0	
L2135-02	SB-2J- (0-2)	42	1.14	9.92	8.14	79.7	
L2135-03	SB-2E- (0-2)	43	1.15	9.96	8.6	84.6	
L2135-04	SB-2E- (7-9)	44	1.16	9.96	8.6	84.5	
L2135-05	L2135-MS	45	1.16	9.96	8.6	84.5	
L2135-06	L2135-MSD	46	1.16	9.96	8.99	89.0	
L2135-07	SB-4I- (0-2)	47	1.17	9.92	8.38	82.4	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 4/3/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 04/02/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 04/03/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB108551

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L2135-08	SB-3K- (0-2)	48	1.13	9.88	8.06	79.2	
L2135-09	SB-3k- (7-9)	49	1.15	9.81	8.2	81.4	
L2142-01	TOPSOIL-WC-1	50	1.17	9.97	8.66	85.1	
L2145-01	04-02-A	78	1.00	2.00	2.00	100.0	PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS
L2145-02	04-02-B	79	1.00	2.00	2.00	100.0	PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS
L2145-03	04-02-C	80	1.00	2.00	2.00	100.0	PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS
L2145-04	04-02-D	81	1.00	2.00	2.00	100.0	PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS
L2145-05	04-02-E	82	1.00	2.00	2.00	100.0	PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS
L2146-01	TP-67-66	51	1.12	5.44	4.73	83.6	
L2146-02	TP-67-7.5-8.0	52	1.15	9.68	7.76	77.5	
L2146-03	TP-67-4.5-5.0	53	1.13	9.53	7.59	76.9	
L2146-04	TP-67-1.5-2.0	54	1.18	9.53	8.1	82.9	
L2146-05	TP-67-66-COMP	55	1.18	9.88	8.00	78.4	
L2146-08	TP-65	56	1.18	6.8	6.04	86.5	
L2146-09	TP-65-1.5-2.0-1	57	1.14	9.73	8.46	85.2	
L2146-10	TP-65-1.5-2.0-2	58	1.18	9.96	8.31	81.2	
L2146-11	TP-65-1.5-2.0-3	59	1.18	9.51	8.21	84.4	
L2146-12	TP-65-COMP	60	1.14	9.98	8.41	82.2	
L2147-01	FK-GF-02-056-A	61	1.16	9.73	8.58	86.6	
L2147-02	FK-GF-02-056-A	62	1.12	9.67	8.71	88.8	
L2147-03	FK-GF-02-056-B	63	1.18	9.97	9.00	89.0	
L2147-04	FK-GF-02-056-B	64	1.18	9.74	8.77	88.7	
L2148-01	FK-GF-02-055-A	65	1.17	9.9	8.96	89.2	
L2148-02	FK-GF-02-055-A	66	1.11	9.67	8.73	89.0	
L2148-03	FK-GF-02-055-B	67	1.12	9.59	8.24	84.1	
L2148-04	FK-GF-02-055-B	68	1.18	9.64	8.69	88.8	
L2152-01	40732-40733	83	1.13	9.95	8.09	78.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$