



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 4/3/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 04/02/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:00  
Out Date: 04/03/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB108551

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|-------------------------|---------------------------|---------|----------|
| L2112-01 | HR-06-040220    | 69     | 1.12           | 9.58                    | 9.1                       | 94.3    |          |
| L2112-02 | HR-06-040220    | 70     | 1.17           | 9.58                    | 9.16                      | 95.0    |          |
| L2112-03 | HR-06-040220-1  | 71     | 1.17           | 9.81                    | 9.56                      | 97.1    |          |
| L2112-04 | HR-06-040220-2  | 72     | 1.14           | 9.76                    | 8.8                       | 88.9    |          |
| L2112-05 | HR-06-040220-3  | 73     | 1.16           | 9.62                    | 8.9                       | 91.5    |          |
| L2117-01 | OK-03-040220    | 74     | 1.18           | 9.65                    | 9.06                      | 93.0    |          |
| L2117-02 | OK-03-040220    | 75     | 1.17           | 9.92                    | 9.41                      | 94.2    |          |
| L2117-03 | OK-03-040220-1  | 76     | 1.16           | 9.95                    | 9.57                      | 95.7    |          |
| L2117-04 | OK-03-040220-2  | 77     | 1.11           | 9.66                    | 9.00                      | 92.3    |          |
| L2129-01 | TP-9            | 1      | 1.14           | 9.65                    | 8.44                      | 85.8    |          |
| L2129-02 | TP-9-A          | 2      | 1.13           | 9.9                     | 8.65                      | 85.7    |          |
| L2129-03 | TP-9-B          | 3      | 1.14           | 9.95                    | 8.98                      | 89.0    |          |
| L2129-06 | TP-8            | 4      | 1.18           | 9.92                    | 8.69                      | 85.9    |          |
| L2129-07 | TP-8-A          | 5      | 1.18           | 9.83                    | 8.77                      | 87.7    |          |
| L2129-08 | TP-8-B          | 6      | 1.12           | 9.54                    | 8.42                      | 86.7    |          |
| L2129-11 | TP-7            | 7      | 1.13           | 9.72                    | 8.4                       | 84.6    |          |
| L2129-12 | TP-7-A          | 8      | 1.18           | 9.9                     | 8.47                      | 83.6    |          |
| L2129-13 | TP-7-B          | 9      | 1.13           | 9.52                    | 8.39                      | 86.5    |          |
| L2129-16 | TP-4            | 10     | 1.16           | 9.6                     | 8.47                      | 86.6    |          |
| L2129-17 | TP-4-A          | 11     | 1.18           | 9.97                    | 8.97                      | 88.6    |          |
| L2129-18 | TP-4-B          | 12     | 1.18           | 9.59                    | 8.35                      | 85.3    |          |
| L2129-21 | TP-1            | 13     | 1.14           | 9.65                    | 8.65                      | 88.2    |          |
| L2129-22 | TP-1-A          | 14     | 1.17           | 9.67                    | 8.69                      | 88.5    |          |
| L2129-23 | TP-1-B          | 15     | 1.14           | 9.66                    | 8.61                      | 87.7    |          |
| L2129-26 | TP-2            | 16     | 1.18           | 9.78                    | 8.41                      | 84.1    |          |
| L2129-27 | TP-2-A          | 17     | 1.13           | 9.55                    | 7.96                      | 81.1    |          |
| L2129-28 | TP-2-B          | 18     | 1.14           | 9.95                    | 8.92                      | 88.3    |          |
| L2129-31 | TP-5            | 19     | 1.18           | 9.6                     | 8.51                      | 87.1    |          |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 4/3/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 04/02/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:00  
Out Date: 04/03/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB108551

| Lab ID   | Client SampleID    | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments                    |
|----------|--------------------|--------|-----------------|--------------------------|----------------------------|---------|-----------------------------|
| L2129-32 | TP-5-A             | 20     | 1.15            | 9.77                     | 8.5                        | 85.3    |                             |
| L2129-33 | TP-5-B             | 21     | 1.1             | 9.54                     | 8.48                       | 87.4    |                             |
| L2129-36 | TP-6               | 22     | 1.13            | 9.93                     | 8.66                       | 85.6    |                             |
| L2129-37 | TP-6-A             | 23     | 1.14            | 9.77                     | 8.54                       | 85.7    |                             |
| L2129-38 | TP-6-B             | 24     | 1.18            | 9.75                     | 8.57                       | 86.2    |                             |
| L2129-41 | TP-3               | 25     | 1.14            | 9.94                     | 8.55                       | 84.2    |                             |
| L2129-42 | TP-3-A             | 26     | 1.18            | 9.66                     | 8.22                       | 83.0    |                             |
| L2129-43 | TP-3-B             | 27     | 1.19            | 9.52                     | 8.48                       | 87.5    |                             |
| L2132-01 | T-1                | 28     | 1.00            | 2.00                     | 2.00                       | 100.0   | STONE SAMPLE 100% SOLIDS    |
| L2132-02 | T-1-A              | 29     | 1.00            | 2.00                     | 2.00                       | 100.0   | STONE SAMPLE 100% SOLIDS    |
| L2132-05 | T-1-B              | 30     | 1.00            | 2.00                     | 2.00                       | 100.0   | STONE SAMPLE 100% SOLIDS    |
| L2132-06 | T-2                | 31     | 1.00            | 2.00                     | 2.00                       | 100.0   | STONE SAMPLE 100% SOLIDS    |
| L2132-07 | T-2-A              | 32     | 1.00            | 2.00                     | 2.00                       | 100.0   | STONE SAMPLE 100% SOLIDS    |
| L2132-10 | T-2-B              | 33     | 1.00            | 2.00                     | 2.00                       | 100.0   | STONE SAMPLE 100% SOLIDS    |
| L2132-11 | CLEAN-GRAVEL       | 34     | 1.00            | 2.00                     | 2.00                       | 100.0   | STONE SAMPLE 100% SOLIDS    |
| L2132-12 | CLEAN-GRAVEL-A     | 35     | 1.00            | 2.00                     | 2.00                       | 100.0   | STONE SAMPLE 100% SOLIDS    |
| L2132-15 | CLEAN-GRAVEL-B     | 36     | 1.00            | 2.00                     | 2.00                       | 100.0   | STONE SAMPLE 100% SOLIDS    |
| L2133-01 | BIG-HOUSE-FLOORS   | 37     | 1.00            | 2.00                     | 2.00                       | 100.0   | CONCRETE SAMPLE 100% SOLIDS |
| L2133-02 | BIG-HOUSE-WALLS    | 38     | 1.00            | 2.00                     | 2.00                       | 100.0   | CONCRETE SAMPLE 100% SOLIDS |
| L2133-03 | SMALL-HOUSE-FLOORS | 39     | 1.00            | 2.00                     | 2.00                       | 100.0   | CONCRETE SAMPLE 100% SOLIDS |
| L2133-04 | SMALL-HOUSE-WALLS  | 40     | 1.00            | 2.00                     | 2.00                       | 100.0   | CONCRETE SAMPLE 100% SOLIDS |
| L2135-01 | SB-1H- (0-2)       | 41     | 1.15            | 9.96                     | 8.37                       | 82.0    |                             |
| L2135-02 | SB-2J- (0-2)       | 42     | 1.14            | 9.92                     | 8.14                       | 79.7    |                             |
| L2135-03 | SB-2E- (0-2)       | 43     | 1.15            | 9.96                     | 8.6                        | 84.6    |                             |
| L2135-04 | SB-2E- (7-9)       | 44     | 1.16            | 9.96                     | 8.6                        | 84.5    |                             |
| L2135-05 | L2135-MS           | 45     | 1.16            | 9.96                     | 8.6                        | 84.5    |                             |
| L2135-06 | L2135-MSD          | 46     | 1.16            | 9.96                     | 8.99                       | 89.0    |                             |
| L2135-07 | SB-4I- (0-2)       | 47     | 1.17            | 9.92                     | 8.38                       | 82.4    |                             |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 4/3/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 04/02/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:00  
Out Date: 04/03/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB108551

| Lab ID   | Client SampleID | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments                             |
|----------|-----------------|--------|-----------------|--------------------------|----------------------------|---------|--------------------------------------|
| L2135-08 | SB-3K- (0-2)    | 48     | 1.13            | 9.88                     | 8.06                       | 79.2    |                                      |
| L2135-09 | SB-3k- (7-9)    | 49     | 1.15            | 9.81                     | 8.2                        | 81.4    |                                      |
| L2142-01 | TOPSOIL-WC-1    | 50     | 1.17            | 9.97                     | 8.66                       | 85.1    |                                      |
| L2145-01 | 04-02-A         | 78     | 1.00            | 2.00                     | 2.00                       | 100.0   | PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS |
| L2145-02 | 04-02-B         | 79     | 1.00            | 2.00                     | 2.00                       | 100.0   | PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS |
| L2145-03 | 04-02-C         | 80     | 1.00            | 2.00                     | 2.00                       | 100.0   | PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS |
| L2145-04 | 04-02-D         | 81     | 1.00            | 2.00                     | 2.00                       | 100.0   | PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS |
| L2145-05 | 04-02-E         | 82     | 1.00            | 2.00                     | 2.00                       | 100.0   | PASTIC-WOOD CHIPS SAMPLE,100% SOLIDS |
| L2146-01 | TP-67-66        | 51     | 1.12            | 5.44                     | 4.73                       | 83.6    |                                      |
| L2146-02 | TP-67-7.5-8.0   | 52     | 1.15            | 9.68                     | 7.76                       | 77.5    |                                      |
| L2146-03 | TP-67-4.5-5.0   | 53     | 1.13            | 9.53                     | 7.59                       | 76.9    |                                      |
| L2146-04 | TP-67-1.5-2.0   | 54     | 1.18            | 9.53                     | 8.1                        | 82.9    |                                      |
| L2146-05 | TP-67-66-COMP   | 55     | 1.18            | 9.88                     | 8.00                       | 78.4    |                                      |
| L2146-08 | TP-65           | 56     | 1.18            | 6.8                      | 6.04                       | 86.5    |                                      |
| L2146-09 | TP-65-1.5-2.0-1 | 57     | 1.14            | 9.73                     | 8.46                       | 85.2    |                                      |
| L2146-10 | TP-65-1.5-2.0-2 | 58     | 1.18            | 9.96                     | 8.31                       | 81.2    |                                      |
| L2146-11 | TP-65-1.5-2.0-3 | 59     | 1.18            | 9.51                     | 8.21                       | 84.4    |                                      |
| L2146-12 | TP-65-COMP      | 60     | 1.14            | 9.98                     | 8.41                       | 82.2    |                                      |
| L2147-01 | FK-GF-02-056-A  | 61     | 1.16            | 9.73                     | 8.58                       | 86.6    |                                      |
| L2147-02 | FK-GF-02-056-A  | 62     | 1.12            | 9.67                     | 8.71                       | 88.8    |                                      |
| L2147-03 | FK-GF-02-056-B  | 63     | 1.18            | 9.97                     | 9.00                       | 89.0    |                                      |
| L2147-04 | FK-GF-02-056-B  | 64     | 1.18            | 9.74                     | 8.77                       | 88.7    |                                      |
| L2148-01 | FK-GF-02-055-A  | 65     | 1.17            | 9.9                      | 8.96                       | 89.2    |                                      |
| L2148-02 | FK-GF-02-055-A  | 66     | 1.11            | 9.67                     | 8.73                       | 89.0    |                                      |
| L2148-03 | FK-GF-02-055-B  | 67     | 1.12            | 9.59                     | 8.24                       | 84.1    |                                      |
| L2148-04 | FK-GF-02-055-B  | 68     | 1.18            | 9.64                     | 8.69                       | 88.8    |                                      |
| L2152-01 | 40732-40733     | 83     | 1.13            | 9.95                     | 8.09                       | 78.9    |                                      |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-040220

WorkList ID : 137535

Department : Wet-Chemistry

Date : 04-02-2020 07:43:37

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 04/09/2020 | Solid  | L2112-01 | Percent Solids | Cool 4 deg C | PSEG05   | G22              | HR-06-040220    | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2112-02 | Percent Solids | Cool 4 deg C | PSEG05   | G22              | HR-06-040220    | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2112-03 | Percent Solids | Cool 4 deg C | PSEG05   | G22              | HR-06-040220-1  | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2112-04 | Percent Solids | Cool 4 deg C | PSEG05   | G22              | HR-06-040220-2  | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2112-05 | Percent Solids | Cool 4 deg C | PSEG05   | G22              | HR-06-040220-3  | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2117-01 | Percent Solids | Cool 4 deg C | PSEG05   | G12              | OK-03-040220    | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2117-02 | Percent Solids | Cool 4 deg C | PSEG05   | G12              | OK-03-040220    | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2117-03 | Percent Solids | Cool 4 deg C | PSEG05   | G12              | OK-03-040220-1  | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2117-04 | Percent Solids | Cool 4 deg C | PSEG05   | G12              | OK-03-040220-2  | 04/02/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-01 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-9            | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-02 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-9-A          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-03 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-9-B          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-06 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-8            | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-07 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-8-A          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-08 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-8-B          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-11 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-7            | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-12 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-7-A          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-13 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-7-B          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-16 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-4            | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-17 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-4-A          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-18 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-4-B          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-21 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-1            | 04/01/2020   | Chemtech -SO |

Date/Time 04.02.2020 15:30

Date/Time

Received by: JD

Received by:

Relinquished by: JD

Page 1 of 4

04.02.2020 17:35

JD

JD

# WORKLIST(Hardcopy Internal Chain)

18108551

WorkList Name : %1-040220

WorkList ID : 137535

Department : Wet-Chemistry

Date : 04-02-2020 07:43:37

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 04/06/2020 | Solid  | L2129-22 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-1-A          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-23 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-1-B          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-26 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-2            | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-27 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-2-A          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-28 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-2-B          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-31 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-5            | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-32 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-5-A          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-33 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-5-B          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-36 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-6            | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-37 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-6-A          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-38 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-6-B          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-41 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-3            | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-42 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-3-A          | 04/01/2020   | Chemtech -SO |
| 04/06/2020 | Solid  | L2129-43 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | TP-3-B          | 04/01/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2132-01 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | T-1             | 04/01/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2132-02 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | T-1-A           | 04/01/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2132-05 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | T-1-B           | 04/01/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2132-06 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | T-2             | 04/01/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2132-07 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | T-2-A           | 04/01/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2132-10 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | T-2-B           | 04/01/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2132-11 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | CLEAN-GRAVEL    | 04/01/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2132-12 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | CLEAN-GRAVEL-A  | 04/01/2020   | Chemtech -SO |

Date/Time 04-02-2020 15:30

Received by: JP

Relinquished by: JP

Date/Time 04-02-2020 17:35

Received by: JP

Relinquished by: JP

# WORKLIST(Hardcopy Internal Chain)

108551

WorkList Name : %1-040220

WorkList ID : 137535

Department : Wet-Chemistry

Date : 04-02-2020 07:43:37

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample    | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|--------------------|--------------|--------------|
| 04/07/2020 | Solid  | L2132-15 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | CLEAN-GRAVEL-B     | 04/01/2020   | Chemtech -SO |
| 04/08/2020 | Solid  | L2133-01 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | BIG-HOUSE-FLOORS   | 04/01/2020   | Chemtech -SO |
| 04/08/2020 | Solid  | L2133-02 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | BIG-HOUSE-WALLS    | 04/01/2020   | Chemtech -SO |
| 04/08/2020 | Solid  | L2133-03 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | SMALL-HOUSE-FLOORS | 04/01/2020   | Chemtech -SO |
| 04/08/2020 | Solid  | L2133-04 | Percent Solids | Cool 4 deg C | PSEG01   | G12              | SMALL-HOUSE-WALLS  | 04/01/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2135-01 | Percent Solids | Cool 4 deg C | DVIR01   | G11              | SB-1H-(0-2)        | 03/31/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2135-02 | Percent Solids | Cool 4 deg C | DVIR01   | G11              | SB-2J-(0-2)        | 03/31/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2135-03 | Percent Solids | Cool 4 deg C | DVIR01   | G11              | SB-2E-(0-2)        | 03/31/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2135-04 | Percent Solids | Cool 4 deg C | DVIR01   | G11              | SB-2E-(7-9)        | 03/31/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2135-05 | Percent Solids | Cool 4 deg C | DVIR01   | G11              | L2135-MS           | 03/31/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2135-06 | Percent Solids | Cool 4 deg C | DVIR01   | G11              | L2135-MSD          | 03/31/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2135-07 | Percent Solids | Cool 4 deg C | DVIR01   | G11              | SB-4I-(0-2)        | 03/31/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2135-08 | Percent Solids | Cool 4 deg C | DVIR01   | G11              | SB-3K-(0-2)        | 03/31/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2135-09 | Percent Solids | Cool 4 deg C | DVIR01   | G11              | SB-3K-(7-9)        | 03/31/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2142-01 | Percent Solids | Cool 4 deg C | REMI02   | G12              | TOPSOIL-WC-1       | 04/01/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2145-01 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | 04-02-A            | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2145-02 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | 04-02-B            | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2145-03 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | 04-02-C            | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2145-04 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | 04-02-D            | 04/02/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2145-05 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | 04-02-E            | 04/02/2020   | Chemtech -SO |
| 04/11/2020 | Solid  | L2146-01 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | TP-67-66           | 04/01/2020   | Chemtech -SO |
| 04/11/2020 | Solid  | L2146-02 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | TP-67-7.5-8.0      | 04/01/2020   | Chemtech -SO |

Date/Time 04-02-2020 15:30

Received by: JP

Relinquished by: JP

Date/Time 04-02-2020 17:13

Received by: JP

Relinquished by: JP

# WORKLIST(Hardcopy Internal Chain)

18108551

WorkList Name : %1-040220      WorkList ID : 137535      Department : Wet-Chemistry      Date : 04-02-2020 07:43:37

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
| 04/11/2020 | Solid  | L2146-03 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | TP-67-4.5-5.0   | 04/01/2020   | Chemtech -SO |
| 04/11/2020 | Solid  | L2146-04 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | TP-67-1.5-2.0   | 04/01/2020   | Chemtech -SO |
| 04/11/2020 | Solid  | L2146-05 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | TP-67-66-COMP   | 04/01/2020   | Chemtech -SO |
| 04/11/2020 | Solid  | L2146-08 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | TP-65           | 04/01/2020   | Chemtech -SO |
| 04/11/2020 | Solid  | L2146-09 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | TP-65-1.5-2.0-1 | 04/01/2020   | Chemtech -SO |
| 04/11/2020 | Solid  | L2146-10 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | TP-65-1.5-2.0-2 | 04/01/2020   | Chemtech -SO |
| 04/11/2020 | Solid  | L2146-11 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | TP-65-1.5-2.0-3 | 04/01/2020   | Chemtech -SO |
| 04/11/2020 | Solid  | L2146-12 | Percent Solids | Cool 4 deg C | PSEG01   | G21              | TP-65-COMP      | 04/01/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2147-01 | Percent Solids | Cool 4 deg C | TULL02   | G12              | FK-GF-02-056-A  | 03/31/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2147-02 | Percent Solids | Cool 4 deg C | TULL02   | G12              | FK-GF-02-056-A  | 03/31/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2147-03 | Percent Solids | Cool 4 deg C | TULL02   | G12              | FK-GF-02-056-B  | 03/31/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2147-04 | Percent Solids | Cool 4 deg C | TULL02   | G12              | FK-GF-02-055-A  | 03/31/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2148-01 | Percent Solids | Cool 4 deg C | TULL02   | G12              | FK-GF-02-055-A  | 03/31/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2148-02 | Percent Solids | Cool 4 deg C | TULL02   | G12              | FK-GF-02-055-B  | 03/31/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2148-03 | Percent Solids | Cool 4 deg C | TULL02   | G12              | FK-GF-02-055-B  | 03/31/2020   | Chemtech -SO |
| 04/07/2020 | Solid  | L2148-04 | Percent Solids | Cool 4 deg C | TULL02   | G12              | FK-GF-02-055-B  | 03/31/2020   | Chemtech -SO |
| 04/09/2020 | Solid  | L2152-01 | Percent Solids | Cool 4 deg C | PSEG01   | G22              | 40732-40733     | 04/02/2020   | Chemtech -SO |

Date/Time 04.02.2020 15:30  
 Received by: Ja  
 Relinquished by: Ja

Date/Time 04.02.2020 17:15  
 Received by: Ja  
 Relinquished by: Ja