



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB108621

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L2123-01	TR-05-040320	1	100.03	0.00	04/07/2020	09:35
2	L2123-01DUP	TR-05-040320DUP	1	100.03	0.00	04/07/2020	09:42
3	L2154-01	VNJ-212	1	100.02	0.00	04/07/2020	09:49
4	L2157-01	VNJ-226	1	100.05	0.00	04/07/2020	09:55
5	L2164-02	ROLL-OFF-COMP	1	100.06	0.00	04/07/2020	10:05

WORKLIST(Hardcopy Internal Chain)

LB 108621

WorkList Name : pf040720 WorkList ID : 137685 Department : Wet-Chemistry Date : 04-07-2020 09:28:27

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/03/2020	Solid	L2123-01	Paint Filter	Cool 4 deg C	PSEG05	G31	TR-05-040320	04/03/2020	9095B
04/03/2020	Solid	L2154-01	Paint Filter	Cool 4 deg C	PSEG01	G31	VNJ-212	04/03/2020	9095B
04/03/2020	Solid	L2157-01	Paint Filter	Cool 4 deg C	PSEG01	G32	VNJ-226	04/03/2020	9095B
04/03/2020	Solid	L2164-02	Paint Filter	Cool 4 deg C	PSEG01	G32	ROLL-OFF-COMP	04/03/2020	9095B

Date/Time 04/07/2020 9:30
 Received by: DC
 Relinquished by: SP

Date/Time 04/07/2020 10:10
 Received by: SP
 Relinquished by: DC