



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 4/15/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 15:00
In Date: 04/14/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:36
Out Date: 04/15/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB108700

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
L2238-01	METXQ9	1	1.17	9.9	8.13	79.7	
L2238-02	METXQ9D	2	1.17	9.9	8.13	79.7	
L2238-03	METXQ9S	3	1.17	9.9	8.13	79.7	
L2238-04	METXS8	4	1.13	9.76	7.97	79.3	
L2238-05	METXS9	5	1.15	9.53	7.51	75.9	
L2238-06	METXT0	6	1.13	9.56	7.9	80.3	
L2238-07	METXT1	7	1.13	9.59	7.89	79.9	
L2238-08	METXT2	8	1.11	9.9	7.88	77.0	
L2238-09	METXT3	9	1.16	9.95	8.14	79.4	
L2238-10	METXT4	10	1.19	9.71	7.38	72.7	
L2238-11	METXT5	11	1.14	9.62	7.91	79.8	
L2238-12	METXT6	12	1.17	9.82	8.03	79.3	
L2238-13	METXT8	13	1.13	9.96	8.1	78.9	
L2238-14	METXT9	14	1.14	9.94	8.65	85.3	
L2238-15	METXW0	15	1.18	9.74	8.16	81.5	
L2238-16	METXW1	16	1.1	9.86	7.93	78.0	
L2238-17	METXW2	17	1.18	9.96	8.62	84.7	
L2238-18	METXW3	18	1.15	9.74	8.13	81.3	
L2238-19	METXW4	19	1.11	9.93	7.98	77.9	
L2238-20	METXW5	20	1.15	9.62	7.73	77.7	
L2238-21	METXW6	21	1.18	9.98	8.8	86.6	
L2238-22	METXW7	22	1.17	9.79	8.09	80.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$