



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB108778

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	L2287-01	GLOUCESTER-SP	1	100.04	0.00	04/17/2020	13:00
2	L2287-01DUP	GLOUCESTER-SPDUP	1	100.03	0.00	04/17/2020	13:08
3	L2306-01	CC-4-15-2020	1	100.04	0.00	04/17/2020	13:14
4	L2323-05	TP-20-COMP	1	100.06	0.00	04/17/2020	13:23
5	L2323-12	TP-19-COMP	1	100.04	0.00	04/17/2020	13:30
6	L2324-01	WC-1	1	100.03	0.00	04/17/2020	13:38

WORKLIST(Hardcopy Internal Chain)

L3 108778

WorkList Name : pf041720 WorkList ID : 138004 Department : Wet-Chemistry Date : 04-17-2020 11:27:34

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/15/2020	Solid	L2287-01	Paint Filter	Cool 4 deg C	PSEG01	H33	GLOUCESTER-SP	04/15/2020	9095B
04/15/2020	Solid	L2306-01	Paint Filter	Cool 4 deg C	PSEG01	H42	CC-4-15-2020	04/15/2020	9095B
04/14/2020	Solid	L2323-05	Paint Filter	Cool 4 deg C	PSEG01	I11	TP-20-COMP	04/14/2020	9095B
04/14/2020	Solid	L2323-12	Paint Filter	Cool 4 deg C	PSEG01	I11	TP-19-COMP	04/14/2020	9095B
04/16/2020	Solid	L2324-01	Paint Filter	Cool 4 deg C	FIRS02	I52	WC-1	04/16/2020	9095B

Date/Time 04/17/2020 14:50
 Received by: DK
 Relinquished by: SP

Date/Time 04/17/2020 13:42
 Received by: SP
 Relinquished by: DK