



Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: pH

Supervisor Review By : apatel

Run Number: LB108785

Slope : 98.1

BalanceID: WC SC-4

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W2628
buffer solution pH 7 yellow	W2626
PH 10.01 BUFFER,COLOR CD 475ML	W2632
buffer solution pH 7 yellow	W2569
Buffer Solution, PH2 (500ml)	W2592
Buffer Solution, PH12 (500ml)	W2616

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.1	4.01	04/18/2020	12:35
2	CAL2	1	Water	NA	NA	20.1	7.00	04/18/2020	12:36
3	CAL3	1	Water	NA	NA	20.2	10.03	04/18/2020	12:37
4	ICV	1	Water	NA	NA	20.2	7.00	04/18/2020	12:39
5	CCV1	1	Water	NA	NA	20.1	2.02	04/18/2020	12:40
6	L2312-02	1	Solid	20.02	20	21.0	8.97	04/18/2020	12:45
7	L2312-02DUP	1	Solid	20.03	20	21.1	8.98	04/18/2020	12:46
8	L2312-03	1	Solid	20.01	20	21.5	9.85	04/18/2020	12:48
9	L2312-04	1	Solid	20.03	20	20.2	5.12	04/18/2020	12:50
10	CCV2	1	Water	NA	NA	20.1	12.02	04/18/2020	13:00

WORKLIST(Hardcopy Internal Chain)

WB 108785

WorkList Name : PH L23912

WorkList ID : 138018

Department : Wet-Chemistry

Date : 04-18-2020 12:27:44

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/16/2020	Solid	L2312-02	pH	Cool 4 deg C	PSEG01	I12	40693	04/16/2020	9045D
04/16/2020	Solid	L2312-03	pH	Cool 4 deg C	PSEG01	I12	40720	04/16/2020	9045D
04/16/2020	Solid	L2312-04	pH	Cool 4 deg C	PSEG01	I12	40531	04/16/2020	9045D

Date/Time 04/18/2020 12:30
 Received by: J
 Relinquished by: J

Date/Time 04/18/2020 15:00
 Received by: J
 Relinquished by: J