



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 4/23/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 04/22/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:05  
Out Date: 04/23/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB108827

| Lab ID   | Client SampleID | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments                 |
|----------|-----------------|--------|-----------------|--------------------------|----------------------------|---------|--------------------------|
| L2117-06 | OK-01-042220    | 64     | 1.12            | 9.69                     | 8.91                       | 90.9    |                          |
| L2117-07 | OK-01-042220    | 65     | 1.16            | 9.88                     | 8.7                        | 86.5    |                          |
| L2117-08 | OK-01-042220-1  | 66     | 1.13            | 9.92                     | 9.3                        | 92.9    |                          |
| L2117-09 | OK-01-042220-2  | 67     | 1.17            | 9.67                     | 9.02                       | 92.4    |                          |
| L2120-01 | OR-02-042220    | 68     | 1.12            | 9.61                     | 8.71                       | 89.4    |                          |
| L2120-02 | OR-02-042220    | 69     | 1.17            | 9.83                     | 8.94                       | 89.7    |                          |
| L2120-03 | OR-02-042220-1  | 70     | 1.14            | 9.82                     | 9.05                       | 91.1    |                          |
| L2120-04 | OR-02-042220-2  | 71     | 1.18            | 9.65                     | 9.26                       | 95.4    |                          |
| L2360-01 | GREENWALL       | 30     | 1.00            | 2.00                     | 2.00                       | 100.0   | stone sample.100% solids |
| L2360-02 | CONCRETE FLOOR  | 31     | 1.00            | 2.00                     | 2.00                       | 100.0   | stone sample.100% solids |
| L2360-03 | OUTSIDE WALL    | 32     | 1.00            | 2.00                     | 2.00                       | 100.0   | stone sample.100% solids |
| L2362-01 | 31040           | 33     | 1.13            | 9.66                     | 9.4                        | 97.0    |                          |
| L2362-04 | 31005           | 34     | 1.00            | 2.00                     | 2.00                       | 100.0   | OILY-DEBRIS,100% SOLIDS  |
| L2364-01 | 30962           | 35     | 1.13            | 9.84                     | 9.83                       | 99.9    |                          |
| L2364-02 | 30962           | 36     | 1.17            | 9.53                     | 9.5                        | 99.6    |                          |
| L2364-04 | 30963           | 37     | 1.16            | 9.75                     | 9.71                       | 99.5    |                          |
| L2364-05 | 30963           | 38     | 1.13            | 9.79                     | 9.77                       | 99.8    |                          |
| L2364-07 | 30964           | 39     | 1.18            | 9.55                     | 9.54                       | 99.9    |                          |
| L2364-08 | 30964           | 40     | 1.13            | 9.78                     | 9.77                       | 99.9    |                          |
| L2364-10 | 30965           | 41     | 1.00            | 2.00                     | 2.00                       | 100.0   | OILY-DEBRIS,100% SOLIDS  |
| L2364-11 | 30965           | 42     | 1.00            | 2.00                     | 2.00                       | 100.0   | OILY-DEBRIS,100% SOLIDS  |
| L2365-01 | 400414065.0     | 1      | 1.15            | 9.97                     | 1.64                       | 5.6     | sludge sample            |
| L2367-01 | 400414006.0     | 2      | 1.13            | 9.87                     | 1.63                       | 5.7     | SLUDGE SAMPLE            |
| L2368-01 | 400415750.0     | 3      | 1.19            | 9.98                     | 1.57                       | 4.3     | sludge sample            |
| L2369-01 | 400415714.0     | 4      | 1.12            | 9.8                      | 2.55                       | 16.5    | sludge sample            |
| L2374-01 | WC-1            | 5      | 1.16            | 9.88                     | 8.86                       | 88.3    |                          |
| L2374-02 | WC-1A           | 6      | 1.13            | 9.85                     | 8.74                       | 87.3    |                          |
| L2375-01 | TP-16- (2-3)    | 7      | 1.16            | 9.79                     | 8.18                       | 81.3    |                          |



PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 4/23/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 04/22/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:05  
Out Date: 04/23/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB108827

| Lab ID   | Client SampleID   | Dish # | Dish Wt(g) (A) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments    |
|----------|-------------------|--------|----------------|-------------------------|---------------------------|---------|-------------|
| L2375-02 | TP-16A            | 8      | 1.15           | 9.95                    | 8.74                      | 86.3    |             |
| L2375-03 | TP-16B            | 9      | 1.13           | 9.8                     | 8.9                       | 89.6    |             |
| L2376-01 | TP-1              | 10     | 1.12           | 9.55                    | 8.31                      | 85.3    |             |
| L2376-02 | TP-2              | 11     | 1.13           | 9.56                    | 8.37                      | 85.9    |             |
| L2376-03 | TP-3              | 12     | 1.15           | 9.96                    | 8.87                      | 87.6    |             |
| L2376-04 | TP-4              | 13     | 1.15           | 9.97                    | 8.46                      | 82.9    |             |
| L2376-05 | TP-5              | 14     | 1.12           | 9.54                    | 7.75                      | 78.7    |             |
| L2376-06 | TP-6              | 15     | 1.16           | 9.97                    | 8.31                      | 81.2    |             |
| L2376-07 | TP-7              | 16     | 1.14           | 9.94                    | 8.73                      | 86.3    |             |
| L2376-08 | TP-8              | 17     | 1.13           | 9.65                    | 8.09                      | 81.7    |             |
| L2376-09 | TP-9              | 18     | 1.13           | 9.7                     | 8.25                      | 83.1    |             |
| L2376-10 | TP-10             | 19     | 1.11           | 9.58                    | 6.3                       | 61.3    |             |
| L2377-01 | MILL-1            | 20     | 1.14           | 9.84                    | 7.98                      | 78.6    |             |
| L2378-01 | TP-6-S1           | 21     | 1.12           | 9.72                    | 8.98                      | 91.4    |             |
| L2378-02 | TP-6-S2           | 22     | 1.15           | 9.54                    | 9.22                      | 96.2    |             |
| L2378-03 | TP-6-S            | 23     | 1.13           | 9.97                    | 9.57                      | 95.5    |             |
| L2378-05 | TP-3-S1           | 24     | 1.18           | 9.56                    | 8.8                       | 90.9    |             |
| L2378-06 | TP-3-S2           | 25     | 1.19           | 9.75                    | 8.93                      | 90.4    |             |
| L2378-07 | TP-3-S            | 26     | 1.17           | 9.75                    | 8.94                      | 90.6    |             |
| L2378-09 | TP-2-S1           | 27     | 1.18           | 9.57                    | 9.22                      | 95.8    |             |
| L2378-10 | TP-2-S2           | 28     | 1.18           | 9.72                    | 9.45                      | 96.8    |             |
| L2378-11 | TP-2-S            | 29     | 1.14           | 9.76                    | 9.51                      | 97.1    |             |
| L2381-01 | ETGI-337          | 72     | 1.12           | 9.64                    | 8.81                      | 90.3    |             |
| L2381-02 | ETGI-337          | 73     | 1.1            | 9.95                    | 8.91                      | 88.2    |             |
| L2381-03 | ETGI-337-EPH-2    | 74     | 1.12           | 9.64                    | 8.81                      | 90.3    |             |
| L2383-01 | ETGI-355-72-11939 | 58     | 1.15           | 9.97                    | 1.75                      | 6.8     | JELY SAMPLE |
| L2383-02 | ETGI-355-72-11939 | 59     | 1.15           | 9.97                    | 1.75                      | 6.8     | JELY SAMPLE |
| L2383-03 | ETGI-355-72-11939 | 60     | 1.15           | 9.97                    | 1.75                      | 6.8     | JELY SAMPLE |



# PERCENT SOLID

Supervisor: apatel  
Analyst: jignesh  
Date: 4/23/2020

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 04/22/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:05  
Out Date: 04/23/2020  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB108827

| Lab ID   | Client SampleID       | Dish # | Dish Wt (g) (A) | Dish + Sample Wt (g) (B) | Dish+Dry Sample Wt (g) (C) | % Solid | Comments      |
|----------|-----------------------|--------|-----------------|--------------------------|----------------------------|---------|---------------|
| L2383-04 | VNJ-239               | 61     | 1.18            | 9.62                     | 7.7                        | 77.3    |               |
| L2383-05 | VNJ-239               | 62     | 1.18            | 9.62                     | 7.7                        | 77.3    |               |
| L2383-06 | VNJ-239               | 63     | 1.18            | 9.62                     | 7.7                        | 77.3    |               |
| L2386-06 | BP-VPB180-GW-518-520  | 43     | 1.15            | 9.98                     | 1.32                       | 1.9     | sludge sample |
| L2387-01 | TT-018-IDWSO-20200421 | 44     | 1.13            | 9.56                     | 7.37                       | 74.0    |               |
| L2394-01 | R-1                   | 45     | 1.13            | 9.82                     | 9.27                       | 93.7    |               |
| L2394-02 | R-1A                  | 46     | 1.13            | 9.86                     | 9.32                       | 93.8    |               |
| L2394-03 | B-1                   | 47     | 1.14            | 9.94                     | 9.17                       | 91.3    |               |
| L2394-04 | B-1A                  | 48     | 1.16            | 9.97                     | 9.44                       | 94.0    |               |
| L2394-05 | O-1                   | 49     | 1.14            | 9.92                     | 9.56                       | 95.9    |               |
| L2394-06 | O-1A                  | 50     | 1.15            | 9.6                      | 9.1                        | 94.1    |               |
| L2394-07 | G-1                   | 51     | 1.15            | 9.79                     | 9.21                       | 93.3    |               |
| L2394-08 | G-1A                  | 52     | 1.12            | 9.67                     | 9.08                       | 93.1    |               |
| L2397-01 | TP-1                  | 53     | 1.13            | 4.92                     | 3.74                       | 68.9    |               |
| L2397-02 | TP-1-8.5-9.0          | 54     | 1.13            | 9.9                      | 6.93                       | 66.1    |               |
| L2397-03 | TP-1-5.5-6.0          | 55     | 1.19            | 9.86                     | 6.88                       | 65.6    |               |
| L2397-04 | TP-1-3.5-4.0          | 56     | 1.13            | 9.81                     | 6.86                       | 66.0    |               |
| L2397-05 | TP-1-COMP             | 57     | 1.14            | 9.83                     | 6.72                       | 64.2    |               |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$