



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 5/4/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 05/01/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 05/02/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB108974

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L2456-01	207	1	1.00	2.00	2.00	100.0	oily rags ,100% SOLIDS
L2456-02	201-206	2	1.15	9.63	6.71	65.6	
L2457-01	1360-1361	3	1.16	9.66	7.26	71.8	
L2457-02	1340	4	1.12	9.69	8.2	82.6	
L2465-01	ROLLOFF-201009	30	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2468-01	BP-VPB180-GW-778-780	5	1.18	9.98	2.09	10.3	sludge sample
L2470-05	SVOC-GPC-BLANK	6	1.00	2.00	2.00	100.0	
L2470-06	PEST-GPC-BLANK	7	1.00	2.00	2.00	100.0	
L2470-07	PEST-GPC-BLANK-SPIKE	8	1.00	2.00	2.00	100.0	
L2470-08	PCB-GPC-BLANK	9	1.00	2.00	2.00	100.0	
L2470-09	PCB-GPC-BLANK-SPIKE	10	1.00	2.00	2.00	100.0	
L2470-10	SVOC-GPC2-BLANK	11	1.00	2.00	2.00	100.0	
L2470-11	PEST-GCP2-BLANK	12	1.00	2.00	2.00	100.0	
L2470-12	PEST-GCP2-BLANK-SPIKE	13	1.00	2.00	2.00	100.0	
L2470-13	PCB-GCP2-BLANK	14	1.00	2.00	2.00	100.0	
L2470-14	PCB-GCP2-BLANK-SPIKE	15	1.00	2.00	2.00	100.0	
L2473-01	WASTE	16	1.15	9.97	8.74	86.1	
L2473-02	VOC	17	1.13	9.57	8.61	88.6	
L2473-03	1	18	1.18	9.77	8.62	86.6	
L2473-04	2	19	1.14	9.76	8.71	87.8	
L2473-05	3	20	1.11	9.56	8.56	88.2	
L2473-06	4	21	1.19	9.62	8.51	86.8	
L2473-07	5	22	1.15	9.72	8.41	84.7	
L2474-01	WASTE	23	1.15	9.98	8.83	87.0	
L2474-02	VOC	24	1.19	9.9	8.76	86.9	
L2474-03	1	25	1.14	9.61	8.54	87.4	
L2474-04	2	26	1.18	9.7	8.71	88.4	
L2474-05	3	27	1.16	9.83	8.63	86.2	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 5/4/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 05/01/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 05/02/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB108974

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L2474-06	4	28	1.15	9.95	8.9	88.1	
L2474-07	5	29	1.13	9.71	8.53	86.2	
L2475-01	FK-SF-03-009-A	39	1.17	9.62	8.93	91.8	
L2475-02	FK-SF-03-009-A	40	1.15	9.92	9.14	91.1	
L2475-03	FK-SF-03-009-B	41	1.16	9.76	9.00	91.2	
L2475-04	FK-SF-03-009-B	42	1.12	9.71	8.95	91.2	
L2476-01	FK-GF-03-008-A	43	1.17	9.67	8.96	91.6	
L2476-02	FK-GF-03-008-A	44	1.19	9.6	8.83	90.8	
L2476-03	FK-GF-03-008-B	45	1.18	9.77	9.00	91.0	
L2476-04	FK-GF-03-008-B	46	1.14	9.82	9.03	90.9	
L2477-01	FK-OD015-03-012	31	1.15	9.66	9.48	97.9	
L2477-02	FK-OD015-03-012	32	1.17	9.5	9.33	98.0	
L2478-01	FK-OD015-03-13	33	1.18	9.72	9.5	97.4	
L2478-02	FK-OD015-03-13	34	1.19	9.77	9.55	97.4	
L2479-01	FK-OD015-03-014	35	1.13	9.59	9.37	97.4	
L2479-02	FK-OD015-03-014	36	1.16	9.66	9.53	98.5	
L2480-01	FK-OD015-03-015	37	1.19	9.61	9.4	97.5	
L2480-02	FK-OD015-03-015	38	1.11	9.71	9.53	97.9	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$