



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB108997

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L2122-11	SU-03-043020	1	100.04	0.00	05/04/2020	08:00
2	L2122-11DUP	SU-03-043020DUP	1	100.04	0.00	05/04/2020	08:08
3	L2439-01	S-1	1	100.05	0.00	05/04/2020	08:17
4	L2444-01	SP-PVSC	1	100.03	0.00	05/04/2020	08:24
5	L2452-01	72-11976	1	100.06	0.00	05/04/2020	08:30
6	L2452-03	224	1	100.03	0.00	05/04/2020	08:38
7	L2452-05	227	1	100.05	0.00	05/04/2020	08:43
8	L2452-07	209	1	100.03	0.00	05/04/2020	08:50
9	L2454-01	NB-04302020	1	100.05	0.00	05/04/2020	08:58
10	L2463-13	AOC3-FORM-U-SUPPLEME	1	100.05	0.00	05/04/2020	09:07

WORKLIST(Hardcopy Internal Chain)

LB 108997

WorkList Name : pf050420 WorkList ID : 138436 Department : Wet-Chemistry Date : 05-04-2020 07:41:44

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/30/2020	Solid	L2122-11	Paint Filter	Cool 4 deg C	PSEG05		SU-03-043020	04/30/2020	9095B
04/08/2020	Solid	L2439-01	Paint Filter	Cool 4 deg C	EARTH03	K11	S-1	04/08/2020	9095B
04/29/2020	Solid	L2444-01	Paint Filter	Cool 4 deg C	PSEG01	L12	SP-PVSC	04/29/2020	9095B
04/29/2020	Solid	L2452-01	Paint Filter	Cool 4 deg C	PSEG01	L13	72-11976	04/29/2020	9095B
04/29/2020	Solid	L2452-03	Paint Filter	Cool 4 deg C	PSEG01	L13	224	04/29/2020	9095B
04/29/2020	Solid	L2452-05	Paint Filter	Cool 4 deg C	PSEG01	L13	227	04/29/2020	9095B
04/29/2020	Solid	L2452-07	Paint Filter	Cool 4 deg C	PSEG01	L13	209	04/29/2020	9095B
04/30/2020	Solid	L2454-01	Paint Filter	Cool 4 deg C	PSEG01	L21	NB-04302020	04/30/2020	9095B
04/30/2020	Solid	L2463-13	Paint Filter	Cool 4 deg C	TULL02	K31	AOC3-FORM-U-SUPPLEMEN	04/30/2020	9095B

Date/Time 05/04/2020 7:45
 Received by: JK
 Relinquished by: JK

Date/Time 05/04/2020 9:05
 Received by: JK
 Relinquished by: JK