



PERCENT SOLID

Supervisor: apatel
Analyst: Daniel
Date: 5/5/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 16:35
In Date: 05/04/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 105
Time OUT: 08:55
Out Date: 05/05/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB109005

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L2464-01	TRE-50006	1	1.00	2.00	2.00	100.0	OILY-DEBRIS,100% SOLIDS
L2466-01	DRUM-1-3	2	1.00	2.00	2.00	100.0	OILY-DEBRIS,100% SOLIDS
L2481-01	HSM-01-W	3	1.00	2.00	2.00	100.0	WOOD SAMPLE,100% SOLIDS
L2481-02	HSM-01-R	4	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2481-03	HSM-01-C	5	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2481-04	HSM-02-W	6	1.00	2.00	2.00	100.0	WOOD SAMPLE,100% SOLIDS
L2481-05	HSM-02-R	7	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2481-06	HSM-02-C	8	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2481-07	HSM-03-W	9	1.00	2.00	2.00	100.0	WOOD SAMPLE,100% SOLIDS
L2481-08	HSM-03-R	10	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2481-09	HSM-03-C	11	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2481-10	P-03-R	12	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2481-11	HSM-04-W	13	1.00	2.00	2.00	100.0	WOOD SAMPLE,100% SOLIDS
L2481-12	HSM-04-R	14	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2481-13	HSM-04-C	15	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2481-14	HSM-05-W	16	1.00	2.00	2.00	100.0	WOOD SAMPLE,100% SOLIDS
L2481-15	HSM-05-R	17	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2481-16	HSM-05-C	18	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2481-17	HSM-06-W	19	1.00	2.00	2.00	100.0	WOOD SAMPLE,100% SOLIDS
L2481-18	HSM-06-R	20	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2481-19	HSM-06-C	21	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2481-20	P-03-C	22	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2482-01	HSA-01-R	23	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2482-03	HSA-01-C	24	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2482-05	HSA-02-R	25	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2482-07	HSA-02-C	26	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2482-09	LP-01-R	27	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2482-11	LP-01-C	28	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS



PERCENT SOLID

Supervisor: apatel
Analyst: Daniel
Date: 5/5/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 16:35
In Date: 05/04/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 105
Time OUT: 08:55
Out Date: 05/05/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB109005

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
L2482-13	LP-02-R	29	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2482-15	LP-02-C	30	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2482-17	LP-03-R	31	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2482-19	LP-03-C	32	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2482-21	LW-01-R	33	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2482-23	LW-01-C	34	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2482-25	LW-02-R	35	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2482-27	LW-02-C	36	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2482-29	LW-03-R	37	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2482-31	LW-03-C	38	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2482-33	P-01-R	39	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2482-35	P-01-C	40	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2482-37	P-02-R	41	1.00	2.00	2.00	100.0	RUBBER SAMPLE ,100% SOLIDS
L2482-39	P-02-C	42	1.00	2.00	2.00	100.0	CONCRETE SAMPLE,100% SOLIDS
L2484-01	OILY-STONE	44	1.00	2.00	2.00	100.0	OILY-STONE SAMPLE,100% SOLIDS
L2486-01	400428026.0	43	1.12	9.97	1.7	6.6	sludge sample

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-050420

WorkList ID : 138409

Department : Wet-Chemistry

Date : 05-04-2020 07:44:58

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
05/08/2020	Solid	L2464-01	Percent Solids	Cool 4 deg C	PSEG01	L23	TRE-50006	05/01/2020	Chemtech -SO
05/08/2020	Solid	L2466-01	Percent Solids	Cool 4 deg C	PSEG01	L31	DRUM-1-3	05/01/2020	Chemtech -SO
05/10/2020	Solid	L2481-01	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-01-W	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-02	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-01-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-03	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-01-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-04	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-02-W	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-05	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-02-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-06	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-02-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-07	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-03-W	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-08	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-03-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-09	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-03-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-10	Percent Solids	Cool 4 deg C	DIST01	L31	P-03-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-11	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-04-W	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-12	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-04-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-13	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-04-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-14	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-05-W	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-15	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-05-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-16	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-05-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-17	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-06-W	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-18	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-06-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-19	Percent Solids	Cool 4 deg C	DIST01	L31	HSM-06-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2481-20	Percent Solids	Cool 4 deg C	DIST01	L31	P-03-C	04/30/2020	Chemtech -SO

Date/Time 05-04-2020 15:40

Received by: J

Relinquished by: KS

Date/Time

Received by: KS

Relinquished by: J

2B 109005

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-050420 WorkList ID : 138409 Department : Wet-Chemistry Date : 05-04-2020 07:44:58

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
05/10/2020	Solid	L2482-01	Percent Solids	Cool 4 deg C	DIST01	L31	HSA-01-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-03	Percent Solids	Cool 4 deg C	DIST01	L31	HSA-01-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-05	Percent Solids	Cool 4 deg C	DIST01	L31	HSA-02-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-07	Percent Solids	Cool 4 deg C	DIST01	L31	HSA-02-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-09	Percent Solids	Cool 4 deg C	DIST01	L31	LP-01-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-11	Percent Solids	Cool 4 deg C	DIST01	L31	LP-01-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-13	Percent Solids	Cool 4 deg C	DIST01	L31	LP-02-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-15	Percent Solids	Cool 4 deg C	DIST01	L31	LP-02-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-17	Percent Solids	Cool 4 deg C	DIST01	L31	LP-03-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-19	Percent Solids	Cool 4 deg C	DIST01	L31	LP-03-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-21	Percent Solids	Cool 4 deg C	DIST01	L31	LW-01-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-23	Percent Solids	Cool 4 deg C	DIST01	L31	LW-01-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-25	Percent Solids	Cool 4 deg C	DIST01	L31	LW-02-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-27	Percent Solids	Cool 4 deg C	DIST01	L31	LW-02-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-29	Percent Solids	Cool 4 deg C	DIST01	L31	LW-03-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-31	Percent Solids	Cool 4 deg C	DIST01	L31	LW-03-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-33	Percent Solids	Cool 4 deg C	DIST01	L31	P-01-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-35	Percent Solids	Cool 4 deg C	DIST01	L31	P-01-C	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-37	Percent Solids	Cool 4 deg C	DIST01	L31	P-02-R	04/30/2020	Chemtech -SO
05/10/2020	Solid	L2482-39	Percent Solids	Cool 4 deg C	DIST01	L31	P-02-C	04/30/2020	Chemtech -SO
05/04/2020	Solid	L2486-01	Percent Solids	Cool 4 deg C	GARD04	L41	400428026.0	04/24/2020	Chemtech -SO

Date/Time
Received by:
Relinquished by:

05-04-2020 15:40
KS
KS

Date/Time
Received by:
Relinquished by:

05-04-2020 17:10
KS
KS