



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB109146

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L2500-01	OK-02-051220	1	100.04	0.00	05/14/2020	10:10
2	L2500-01DUP	OK-02-051220DUP	1	100.03	0.00	05/14/2020	10:18
3	L2501-01	EO-01-051320	1	100.05	0.00	05/14/2020	10:26
4	L2505-01	SU-02-051220	1	100.06	0.00	05/14/2020	10:34
5	L2540-04	HAR-STOCK	1	100.04	0.00	05/14/2020	10:40
6	L2553-02	VNJ-217	1	100.03	0.00	05/14/2020	10:48
7	L2635-01	ROLL-OFF-P72-11933	1	100.03	0.00	05/14/2020	10:56

WORKLIST(Hardcopy Internal Chain)

LB 109146

WorkList Name : pf0514220 WorkList ID : 138729 Department : Wet-Chemistry Date : 05-14-2020 09:24:12

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
05/12/2020	Solid	L2500-01	Paint Filter	Cool 4 deg C	PSEG05	M32	OK-02-051220	05/12/2020	9095B
05/13/2020	Solid	L2501-01	Paint Filter	Cool 4 deg C	PSEG05	M42	EO-01-051320	05/13/2020	9095B
05/12/2020	Solid	L2505-01	Paint Filter	Cool 4 deg C	PSEG05	M22	SU-02-051220	05/12/2020	9095B
05/07/2020	Solid	L2540-04	Paint Filter	Cool 4 deg C	PSEG01	M12	HAR-STOCK	05/07/2020	9095B
05/07/2020	Solid	L2553-02	Paint Filter	Cool 4 deg C	PSEG01	M11	VNJ-217	05/07/2020	9095B
05/13/2020	Solid	L2635-01	Paint Filter	Cool 4 deg C	PSEG01	M33	ROLL-OFF-P72-11933	05/13/2020	9095B

05/14/2020 DK
 Date/Time 05/15/2020 10:05
 Received by: DK
 Relinquished by: KS

Date/Time 05/14/2020
 Received by: KS
 Relinquished by: DK