



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB109219

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	L2503-06	OR-02-051420	1	100.04	0.00	05/19/2020	08:00
2	L2503-06DUP	OR-02-051420DUP	1	100.03	0.00	05/19/2020	08:08
3	L2506-08	TR-05-051520	1	100.05	0.00	05/19/2020	08:15
4	L2644-07	72-11944	1	100.02	0.00	05/19/2020	08:24
5	L2646-03	TP-B-S	1	100.03	0.00	05/19/2020	08:32
6	L2646-07	TP-B-D	1	100.05	0.00	05/19/2020	08:41
7	L2674-02	PS-STOCK-4	1	100.03	0.00	05/19/2020	08:50
8	L2686-02	VNJ-214	1	100.04	0.00	05/19/2020	09:00
9	L2686-05	VNJ-241	1	100.04	0.00	05/19/2020	09:10

WORKLIST(Hardcopy Internal Chain)

L3109219

WorkList Name : pf051920 WorkList ID : 138850 Department : Wet-Chemistry Date : 05-19-2020 07:44:24

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
05/14/2020	Solid	L2503-06	Paint Filter	Cool 4 deg C	PSEG05		OR-02-051420	05/14/2020	9095B
05/15/2020	Solid	L2506-08	Paint Filter	Cool 4 deg C	PSEG05		TR-05-051520	05/15/2020	9095B
05/14/2020	Solid	L2644-07	Paint Filter	Cool 4 deg C	PSEG01	M42	72-11944	05/14/2020	9095B
05/13/2020	Solid	L2646-03	Paint Filter	Cool 4 deg C	PSEG01	M43	TP-B-S	05/13/2020	9095B
05/13/2020	Solid	L2646-07	Paint Filter	Cool 4 deg C	PSEG01	M43	TP-B-D	05/13/2020	9095B
05/15/2020	Solid	L2674-02	Paint Filter	Cool 4 deg C	PSEG01	M52	PS-STOCK-4	05/15/2020	9095B
05/18/2020	Solid	L2686-02	Paint Filter	Cool 4 deg C	PSEG01	N11	VNJ-214	05/18/2020	9095B
05/18/2020	Solid	L2686-05	Paint Filter	Cool 4 deg C	PSEG01	N11	VNJ-241	05/18/2020	9095B

Date/Time 05/19/2020 7:50
 Received by: KS
 Relinquished by: KS

Date/Time 05/19/2020 9:15
 Received by: KS
 Relinquished by: KS