

Analysis Method: 9034
 Parameter: Reactive Sulfide
 Run Number: LB109223

ANALYST: ketankumar
 SUPERVISOR REVIEW BY: apatel
 Constant: 16000
 Normality1: 0.025
 Normality2: 0.025

Reagent/Standard	Lot/Log #
Sodium thiosulfate titrant 0.025N	WP83473
IODINE SOLUTION .025N 1L	W2669
Starch Solution, 4L	W2703

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB128974BL		1	5.02	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	05/18/2020	16:30
2	L2506-11		1	5.02	50	2.00	1.92	3.74	1.82	0.18	0.10	7.97	05/18/2020	16:32
3	L2506-11DUP		1	5.04	50	2.00	3.74	5.58	1.84	0.16	0.08	6.35	05/18/2020	16:35
4	L2674-03		1	5.05	50	2.00	5.58	7.44	1.86	0.14	0.06	4.75	05/18/2020	16:38

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume