



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB109556

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L2817-01	SU-03-061020	1	100.04	0.00	06/11/2020	09:15
2	L2817-01DUP	SU-03-061020DUP	1	100.05	0.00	06/11/2020	09:24
3	L2970-02	600472986	1	100.05	0.00	06/11/2020	09:30
4	L2972-01	STOCK-PILE-1	1	100.03	0.00	06/11/2020	09:38
5	L2972-04	STOCK-PILE-2	1	100.04	0.00	06/11/2020	09:46
6	L2972-07	STOCK-PILE-3	1	100.03	0.00	06/11/2020	09:52

WORKLIST(Hardcopy Internal Chain)

LB109556

WorkList Name : pf061120 WorkList ID : 139534 Department : Wet-Chemistry Date : 06-11-2020 09:01:58

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/10/2020	Solid	L2817-01	F	Paint Filter	Cool 4 deg C	PSEG05	SU-03-061020	06/10/2020	9095B
06/10/2020	Solid	L2970-02	H	Paint Filter	Cool 4 deg C	PSEG01	600472986	06/10/2020	9095B
06/10/2020	Solid	L2972-01	✓	Paint Filter	Cool 4 deg C	PSEG01	STOCK-PILE-1	06/10/2020	9095B
06/10/2020	Solid	L2972-04	D	Paint Filter	Cool 4 deg C	PSEG01	STOCK-PILE-2	06/10/2020	9095B
06/10/2020	Solid	L2972-07	D	Paint Filter	Cool 4 deg C	PSEG01	STOCK-PILE-3	06/10/2020	9095B

Date/Time 06/11/2020 09:08
 Received by: DL
 Relinquished by: KS

Date/Time 06/11/2020 10:02
 Received by: KS
 Relinquished by: DL