



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 6/12/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 16:40
In Date: 06/11/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:48
Out Date: 06/12/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB109567

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
L2808-01	HR-06-061120	1	1.15	9.86	9.63	97.4	
L2808-02	HR-06-061120	2	1.12	9.55	9.18	95.6	
L2808-03	HR-06-061120-1	3	1.18	9.63	9.49	98.3	
L2808-04	HR-06-061120-2	4	1.14	9.67	9.44	97.3	
L2976-01	01-A-01-B-01-C	5	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L2976-02	02-A-02-B-02-C	6	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L2976-03	03-A-03-B-03-C	7	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L2976-04	04-A-04-B-04-C	8	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L2979-01	15-SP	9	1.18	9.74	9.56	97.9	
L2979-02	15-SP	10	1.17	9.74	9.09	92.4	
L2982-01	SU20-FLDDSED2	11	1.15	9.96	7.62	73.4	
L2982-02	SU20-FLDDSED3	12	1.1	9.96	4.43	37.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$