



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB109595

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L2808-01	HR-06-061120	1	100.04	0.00	06/15/2020	08:10
2	L2808-01DUP	HR-06-061120DUP	1	100.05	0.00	06/15/2020	08:18
3	L2819-01	BU-02-061020	1	100.06	0.00	06/15/2020	08:28
4	L2979-02	15-SP	1	100.02	0.00	06/15/2020	08:36
5	L2997-01	294	1	100.03	0.00	06/15/2020	08:44

WORKLIST(Hardcopy Internal Chain)

LB 109595

WorkList Name : pf061520 WorkList ID : 139624 Department : Wet-Chemistry Date : 06-15-2020 07:41:34

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/11/2020	Solid	L2808-01	Paint Filter	Cool 4 deg C	PSEG05	O61	HR-06-061120	06/11/2020	9095B
06/10/2020	Solid	L2819-01	Paint Filter	Cool 4 deg C	PSEG05	O53	BU-02-061020	06/10/2020	9095B
06/11/2020	Solid	L2979-02	Paint Filter	Cool 4 deg C	PSEG01	O61	15-SP	06/11/2020	9095B
06/12/2020	Solid	L2997-01	Paint Filter	Cool 4 deg C	PSEG01	P22	294	06/12/2020	9095B

Date/Time 06/15/2020 7:45
 Received by: DK
 Relinquished by: KS

Date/Time 06/15/2020 8:50
 Received by: KS
 Relinquished by: DK