



PERCENT SOLID

Supervisor: apatel
Analyst: Daniel
Date: 6/16/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:05
In Date: 06/15/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 107
Time OUT: 08:33
Out Date: 06/16/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB109602

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L2815-06	OR-03-061520	7	1.15	9.75	9.15	93.0	
L2815-07	OR-03-061520	8	1.15	9.69	8.82	89.8	
L2815-08	OR-03-061520-1	9	1.1	9.89	9.27	92.9	
L2815-09	OR-03-061520-2	10	1.17	9.53	8.98	93.4	
L3013-01	V-210	1	1.15	9.88	9.7	97.9	
L3013-03	V-202	2	1.18	9.65	8.52	86.7	
L3015-01	HA-04	3	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3015-02	HA-08	4	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3016-01	HA-08	5	1.00	2.00	2.00	100.0	CAULKING SAMPLE,100% SOLIDS
L3017-01	SG1	6	1.13	9.69	9.24	94.7	
L3020-01	MW-22 (16.5-18.5)	11	1.17	9.54	8.66	89.5	
L3020-02	MW-23 (19-21)	12	1.19	9.75	9.06	91.9	
L3020-03	MW-24 (19-21)	13	1.19	9.96	8.61	84.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$