



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 6/18/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 06/17/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 06/18/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB109624

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L2809-01	HD-01-061720	9	1.14	9.81	9.18	92.7	
L2809-02	HD-01-061720	10	1.18	9.54	9.35	97.7	
L2809-03	HD-01-061720-1	11	1.14	9.94	9.15	91.0	
L2812-06	OK-03-061720	12	1.15	9.55	9.12	94.9	
L2812-07	OK-03-061720	13	1.18	9.63	8.85	90.8	
L2812-08	OK-03-061720-1	14	1.17	9.6	9.4	97.6	
L2812-09	OK-03-061720-2	15	1.17	9.56	9.38	97.9	
L2813-07	EO-01-061720	16	1.18	9.92	9.51	95.3	
L2813-08	EO-01-061720	17	1.14	9.64	9.03	92.8	
L2813-09	EO-01-061720-1	18	1.18	9.72	9.57	98.2	
L2813-10	EO-01-061720-2	19	1.15	9.94	9.55	95.6	
L2813-11	EO-01-061720-3	20	1.19	9.77	8.96	90.6	
L2817-06	SU-04-061720	21	1.12	9.6	8.67	89.0	
L2817-07	SU-04-061720	22	1.1	9.81	8.47	84.6	
L2817-08	SU-04-061720-1	23	1.15	9.96	9.14	90.7	
L2817-09	SU-04-061720-2	24	1.1	9.97	8.83	87.1	
L2818-01	TR-05-061720	66	1.13	9.51	8.69	90.2	
L2818-02	TR-05-061720	67	1.15	9.96	9.45	94.2	
L2818-03	TR-05-061720-1	68	1.14	9.93	9.43	94.3	
L3024-01	RO-21	1	1.12	9.7	9.15	93.6	
L3024-04	RO-25	2	1.14	9.56	8.96	92.9	
L3024-07	RO-16	3	1.15	9.7	9.17	93.8	
L3024-10	RO-7	4	1.18	9.71	9.25	94.6	
L3024-13	RO-1	5	1.15	9.75	9.54	97.6	
L3024-16	RO-6	6	1.19	9.56	8.5	87.3	
L3024-19	RO-17	7	1.18	9.97	9.31	92.5	
L3024-22	RO-11	8	1.15	9.94	9.33	93.1	
L3031-01	LOT-11	25	1.12	9.98	9.26	91.9	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 6/18/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 06/17/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 06/18/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB109624

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
L3034-01	TP-1	26	1.15	9.96	9.18	91.1	
L3034-02	TP-1	27	1.17	9.55	8.39	86.2	
L3034-04	TP-2	28	1.11	9.94	8.85	87.7	
L3034-05	TP-2	29	1.15	9.93	9.06	90.1	
L3034-07	TP-3	30	1.16	9.54	8.59	88.7	
L3034-08	TP-3	31	1.18	9.91	8.85	87.9	
L3034-10	TP-4	32	1.14	9.9	9.00	89.7	
L3034-11	TP-4	33	1.17	9.72	8.74	88.5	
L3034-13	TP-5	34	1.1	9.65	8.58	87.5	
L3034-14	TP-5	35	1.13	9.92	8.78	87.0	
L3034-17	TP-1-EPH-2	36	1.17	9.55	8.39	86.2	
L3034-18	TP-2-EPH-2	37	1.15	9.93	9.06	90.1	
L3034-19	TP-3-EPH-2	38	1.18	9.91	8.85	87.9	
L3034-20	TP-4-EPH-2	39	1.17	9.72	8.74	88.5	
L3034-21	TP-5-EPH-2	40	1.13	9.92	8.78	87.0	
L3036-01	VNJ-221	69	1.00	2.00	2.00	100.0	concrete SAMPLE,100% SOLIDS
L3037-01	SL-WC-01	41	1.13	9.52	8.23	84.6	
L3037-02	SL-WC-01C	42	1.18	9.84	8.35	82.8	
L3037-03	SL-WC-02	43	1.18	9.58	8.04	81.7	
L3037-04	SL-WC-02C	44	1.1	9.56	7.68	77.8	
L3037-05	SL-WC-03	45	1.17	9.71	8.79	89.2	
L3037-06	SL-WC-03C	46	1.13	9.71	8.85	90.0	
L3041-01	PAD	47	1.18	9.76	8.05	80.1	
L3046-01	ISS-A-Q1	48	1.18	9.52	8.84	91.8	
L3046-02	ISS-A-Q2	49	1.18	9.9	9.53	95.8	
L3046-03	ISS-A1-Q3	50	1.12	9.84	9.2	92.7	
L3046-04	ISS-B-Q1	51	1.1	9.71	9.05	92.3	
L3046-05	ISS-B-Q2	52	1.13	9.63	8.87	91.1	



PERCENT SOLID

Supervisor: apatel
Analyst: jignesh
Date: 6/18/2020

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 06/17/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:10
Out Date: 06/18/2020
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB109624

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
L3046-06	ISS-B-Q3	53	1.17	9.96	9.6	95.9	
L3046-07	ISS-C-Q1	54	1.1	9.74	9.05	92.0	
L3046-08	ISS-C-Q2	55	1.13	9.98	9.38	93.2	
L3046-09	ISS-C-Q3	56	1.16	9.77	8.94	90.4	
L3046-10	ISS-A-C	57	1.12	9.66	8.99	92.2	
L3046-11	ISS-B-C	58	1.13	9.7	9.06	92.5	
L3046-12	ISS-C-C	59	1.1	9.88	9.18	92.0	
L3048-01	SOIL-CUTTINGS	60	1.12	9.93	8.56	84.4	
L3049-01	EAST-17.5	61	1.17	9.78	9.06	91.6	
L3049-02	NORTH-17.5	62	1.13	9.96	9.08	90.0	
L3049-03	SOUTH-17.5	63	1.13	9.71	8.81	89.5	
L3049-04	WEST-18.0	64	1.15	9.95	8.99	89.1	
L3049-05	SOUTH-18.0	65	1.12	9.63	8.59	87.8	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$