



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Daniel

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB109714

BalanceID: WC-SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	L2818-07	TR-05-062320	1	100.04	0.00	06/24/2020	08:00
2	L2818-07DUP	TR-05-062320DUP	1	100.05	0.00	06/24/2020	08:08
3	L3089-01	RB47184-RT	1	100.05	0.00	06/24/2020	08:17
4	L3089-04	RB44767-RT	1	100.02	0.00	06/24/2020	08:26
5	L3089-07	RB47185-RT	1	100.06	0.00	06/24/2020	08:35
6	L3090-01	359-RO	1	100.03	0.00	06/24/2020	08:44

WORKLIST(Hardcopy Internal Chain)

LB109714

WorkList Name : PF062220 WorkList ID : 139828 Department : Wet-Chemistry Date : 06-22-2020 16:49:19

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
06/23/2020	Solid	L2818-07	Paint Filter	Cool 4 deg C	PSEG05		TR-05-062320	06/23/2020	9095B
06/23/2020	Solid	L3089-01	Paint Filter	Cool 4 deg C	PSEG01	R12	RB47184-RT	06/23/2020	9095B
06/23/2020	Solid	L3089-04	Paint Filter	Cool 4 deg C	PSEG01	R12	RB44767-RT	06/23/2020	9095B
06/23/2020	Solid	L3089-07	Paint Filter	Cool 4 deg C	PSEG01	R12	RB47185-RT	06/23/2020	9095B
06/23/2020	Solid	L3090-01	Paint Filter	Cool 4 deg C	PSEG01	R11	359-RO	06/23/2020	9095B

Date/Time 06/24/2020 7:50
 Received by: JP
 Relinquished by: JP

Date/Time 06/24/2020 08:55
 Received by: JP
 Relinquished by: JP