



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Alexander

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB110027

Reagent/Standard	Lot/Log #
COD ICV-LCS std, 50ppm	WP85733
COD calibration std. 100 ppm	WP85730
COD calibration std. 10 ppm	WP85728
COD calibration std. 150 ppm	WP85731
COD calibration std. 50 ppm	WP85729
COD calibration std. 0 ppm	WP85727
COD CCV std, 50ppm	WP85732
COD LOD std, 5ppm	WP85734
COD Digestion Vials Low Level 0-150Mg/L	W2682
COD ICV-LCS std, 50ppm	WP85733
COD LOQ std, 10.0PPM	WP85735

Temp In(C): 149	Date In: 07/22/2020	Time In: 12:45
Temp Out(C): 150	Date Out: 07/22/2020	Time Out: 14:45

Intercept: 0

Slope: 1

Regression: 0.9998

Seq	Lab ID	TrueValue (mg/l)	DF	MATRIX	Reading	Anal Date	Anal Time
1	CAL1	0	1	Water	0.000	07/22/2020	15:50
2	CAL2	10	1	Water	10.000	07/22/2020	15:50
3	CAL3	50	1	Water	51.000	07/22/2020	15:51
4	CAL4	100	1	Water	98.000	07/22/2020	15:51
5	CAL5	150	1	Water	151.000	07/22/2020	15:52



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Alexander

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB110027

Seq	Lab ID	True Value (mg/l)	Initial Weight (g)	Final Vol (ml)	DF	MATRIX	Reading	Result	AnalDate	AnalTime
1	ICV	50			1	Water	49.000	49.000	07/22/2020	15:55
2	ICB				1	Water	0.000	0.000	07/22/2020	15:55
3	CCV1	50			1	Water	51.000	51.000	07/22/2020	16:05
4	CCB1				1	Water	0.000	0.000	07/22/2020	16:05
5	LB110027BL		1.00	50	1	Solid	0.000	0.000	07/22/2020	16:06
6	LB110027BS	50	1.00	50	1	Solid	49.000	49.000	07/22/2020	16:06
7	L3216-01		1.00	50	1	Solid	6.000	6.000	07/22/2020	16:07
8	L3216-02		1.00	50	1	Solid	9.000	9.000	07/22/2020	16:07
9	CCV2	50			1	Water	51.000	51.000	07/22/2020	16:09
10	CCB2				1	Water	0.000	0.000	07/22/2020	16:09